# AREA IX:


# A. Laboratories/Shops/Facilities




# A. <u>Laboratories/Shops/Facilities</u>

# **General (for all laboratories)**

A.1. Building plan showing the location of laboratory rooms/shops used by the program under survey





## CAS Main Building Plan






## **USM LABORATORY BUILDING PLANS**






**CEIT Building Floor Plan** 



CAFÉ MARTINA Building Floor Plan



PERSPECTIVE

REPUBLIC OF THE PRIJEPRISE

UNIVERSITY OF SOUTHERN MINIOUNG OFFICE

LONG STATE HOSTEL BLDG.

RESIDENCE OF THE PRIJEPRISE

UNIVERSITY OF SOUTHERN MINIOUNG OFFICE


LONG CANNING & DESIGNING OFFICE

LONG CANNING CANNING

1 = J

PLAN

GRADUATE HOSTEL Building Floor Plan



## A.2. Copy of the laboratory lay-out


The laboratory layout conforms to acceptable standards (RA 6541-National Building Code of the Philippines/PD 856- "Code of Sanitation of the Philippines) and to particular needs of the program under survey.

Stated below is an Act to ordain and Institution a National Building Code of the Philippines


The laboratory layout conforms with acceptable standards and to particular needs RA 6541 National Building Code of the Philippines stated in SECTION 1.01.04: *Application* (c) that this code shall likewise apply to any area proposed for or being developed into a new town site, residential subdivision, commercial or residential site, **school site**, housing project, and similar construction projects where five or more buildings not covered by paragraph (d) of this Section will be constructed even if the poblacion or barrio population is less than two thousand (2,000) or the density of population is less than fifty (50) families per hectare.

The design and construction requirements of this Code shall not apply to any traditional indigenous family dwelling costing not more than five thousand pesos (P5,000.00) and intended for use and occupancy of the family of the owner only. The traditional type of family dwellings are those that are constructed of native materials such as bamboo, nipa, logs, or lumber, wherein the distance between vertical supports or suportales does not exceed 3.00 meters (10 feet); and if masonry walls or socalos are used, such shall not be more than 1.00 meter (3 feet, 3 inches) from the ground: Provided, however, That such traditional indigenous family dwelling will not constitute a danger to life or limb of its occupants or of the public; will not be fire hazard or an eyesore to the community; and does not contravene any fire zoning regulation of the city or municipality in which it is located.


SECTION 1.01.05 *Building Use Affecting Public Health and Safety* (a) Any building or structure, or any ancillary or accessory facility thereto, and any alteration or addition to any building or structure already existing, shall conform in all respects to the principles of safe construction, shall be suited to the purpose for which the building is designed, and shall, in no case contribute to making the community in which it is located at eyesore, a slum, or a blighted area. Adequate environmental safeguards shall be observed in the design, construction, and use of any building or structure for the manufacture and production of any kind of article or product which constitutes a hazard or nuisance affecting public health and safety, such as explosives, gas, noxious chemicals, inflammable compounds, or the like.



University Information Communications and Technology Center Proposed Internet Laboratory



#### COLLEGE OF ENGINEERING AND COMPUTING BUILDING PLAN



Page 4 / 8 — 🗨 +

# A.3. Inventory of available equipment, gadgets, fixtures in every laboratory

### **PHYSICS LABORATORY**




There are two Physics Laboratory Rooms which are located at the right side of the CAS building. These are well-lighted and well ventilated. These rooms are equipped with two long tables and demonstration table. Faucets, sinks and electrical outlets are appropriately positioned.

## **CHEMISTRY LABORATORY**



There are 3 laboratory rooms for Chemistry subjects. These rooms are well-lighted and well-ventilated and are equipped with tools and emergency tool kit (fire extinguisher and first aid kit).

# **COMPUTER LABORATORY**



**CE 10 Computer Laboratory** 







**CE 11 Computer Laboratory** 



**CE 16 Computer Laboratory** 

The Department of Computing and Library Information Science has four computer laboratories for Computer Subjects. Each laboratory room has a capacity of 30 to 35



# UNIVERSITY OF SOUTHERN MINDANAO Kabacan, Cotabato Philippines

## LABORATORY EQUIPMENT INVENTORY AS OF JANUARY 24,2025

| оту  | NAME OF EQUIPMENT                         | 3         |                 | SPECIFICATIONS | CLIVIT | RAL LABOR          | DATE OF PURCHASE | UNIT COST | SOURCE OF<br>FUND | LOCATION                | STATUS<br>(FUNCTIONA<br>L, FOR<br>REPAIR/<br>CALIBRATION<br>/<br>CLEANING) |
|------|---|-----------|-----------------|----------------|--------|--------------------|------------------|-----------|-------------------|-------------------------|--|
|      |   | Brand     | Model           | Serial Number  | Capa   | Property<br>Number |                  |           |                   |                         |  |
| 1    | Aircon (2HP)                              | PANASONIC | N/A             | N/A            |        | LCL-221-<br>0318   |                  | 25,000.00 | Lab. Fee 164      | Water<br>Lab.           | Functional   |
| 1    | Aircondition 1.5HP                        | NATIONAL  | N/A             | N/A            |        | LCL-221-<br>0318   | N/A              | N/A       | Lab. Fee 164      | Faculty<br>Office       | Functional   |
| 1    | Aircondition,2.5HP                        | PANASONIC | CW-<br>XC244EPH | 850600615      |        | LU-221-<br>0318    | 1/10/2008        | 30,383.00 | Lab. Fee 164      | Bio.<br>Central<br>lab. | Functional   |
|      | Aircondition/Floor<br>Mounted Split type  | KOPPEL    | кмз6ЕОА         | GL248650       |        |                    | 09/01/2018       | 63,000    | USM Admin         | Bio.<br>Central<br>lab. | Functional   |
|      | Aircondition Floor<br>mounted, split type | KOPPEL    | KFM-<br>36EOA   | GL248626       |        |                    | 09/20/2018       | 63,000    | USM Admin         | BioFaculty Office       | Functional   |
| - 13 | Aircondition/wall<br>tpe                  | DAIKEN    | RN50AGXV<br>L9  | K000895        |        |                    | 09/20/2018       |           | USM Admin         | Micro Lab.<br>212       | Functional   |
| P    | Aircondition/wall                         | DAIKEN    | FTN50AGX        | K000902        |        |                    | 09/20/2018       |           | USM Admin         | Micro Lab.              | functional   |

USM-EDL-Fo8-Rev.1.2021.01.08







#### UNIVERSITY OF SOUTHERN MINDANAO

Kabacan, Cotabato Philippines

## LABORATORY EQUIPMENT INVENTORY AS OF JANUARY 24,2025

BIOLOGY CENTRAL LABORATORY

|    | type                             |                  | VL9                 |            |                    |            |                |              | 212                     |            |
|----|----------------------------------|------------------|---------------------|------------|--------------------|------------|----------------|--------------|-------------------------|------------|
| 1  | Aircondition/Wall<br>type        | DAIKEN           | FTN50AGX<br>VL9     | K000450    |                    | 09/20/2018 |                | USM Admin    | Ecology.<br>Lab 216.    | functional |
| 1  | Analytical balance               | CHYO             | AA-200 &<br>JL-180  | 69467      | RSTC-233-<br>022   | 1/18/1995  | 61,875.00      | DOST Funded  | Bio.Centra<br>I lab.    | Functional |
| 1  | Analytical balance               | Biobase          | BA2004C             | 17T-0291   | PCA-233-<br>120    | 05/29/2017 | 70,800         | PCAARRD      | Bio.<br>Central<br>lab. | Functional |
| 1  | Autoclave, Digital               | Hnoteck          | YXQ                 | 250A,125   | PCA-233-21         | 05/29/2017 | 83,020         | PCAARRD      | Micro-<br>comlex        | Functional |
| 1  | Bacti- Cinerator                 | Biobase          |                     |            |                    | 12/15/2022 | 28,525         | Lab fee 164  | Bio.Centra<br>I lab     | Functional |
| 4  | Beam Balance                     |                  | 310-311             | 9544       | RSTC-25015         | 1/31/1996  | DOST<br>Funded | 22,000.00    | Bio.<br>Central<br>lab. | Functional |
| 20 | CeilinSg fan                     | PANASONIC        | 3D                  | EF11208699 | LCL-233-<br>13012  | 7/7/2012   | 1,500.00       | Lab. Fee 164 | Bio.Centra<br>I lab.    | Functional |
| 1  | Centrifuge                       | CLAY<br>ADAMS    | 420225              | 3.5003E+10 | MAEP-233-<br>002   | 5/12/1998  | 28,520.00      | MAEP Funded  | Bio.<br>Central<br>lab. | Functional |
| 1  | Centrifuge Micro<br>Refrigerated | Thermo<br>Fisher | LEGEND<br>MICRO 17R | 41791736   | O15-05-11-<br>0052 | 05/19/2015 | 240,000        | Bio.Lab Fee  | Bio.<br>Central<br>Lab  | Functiona  |

USM-EDL-Fo8-Rev.1.2021.01.08

# A.4. Laboratory Manuals



## UNIVERSITY OF SOUTHERN MINDANAO

## PROCEDURE FOR THE CONDUCT OF LABORATORY ACTIVITIES

Document No. USM-EDL-002-Rev. 2.2021.02.03 Rev. No. 2 Page 1 of 3

| EFFECTIVE DATE      | REV. NO. | REVISION TYPE | CHANGE DESCRIPTION   | PAGE AFFECTED | ORIGINATOR   |
|---------------------|----------|---------------|--|---------------|--|
| February 3, 2023.   | 1        | Partial       | Revised document code and paragraphs 2.0, 3.1, 3.2, 3.3, 3.4, 3.5, 4.4, 5.0. Major revision in the procedure details. Deleted paragraphs 6.1.4, 6.2, 6.2.1, 6.2.2, 6.2.3, 6.3, 6.4, 8.1, 8.2, 8.3. Added paragraphs 6.4, 2.2 to 6.4, 2.6 and section 6.4.3 | ALL           | LILIAN A. LUMBAO<br>CARLO IASON S. DELA CRUZ<br>QUEENNIE L. RUFINO<br>MELCHIE G. PALAPAR |
| November 4,<br>3016 | 1        | Partial       | Reviewed and amended in<br>accordance with the QMS<br>requirements   | ALL           | JELLY GRACE B. NONESA  |
| July 04, 2016       | B        | New           | Newly established in accordance<br>with the Quality Management<br>System Requirements  | ALL           | JELLY GRACE B. NONESA  |
|                     |          |               |  | ~             |  |

| Prepared by:  | Reviewed by:        | Approved by:        | DCCUSEONLY                 |
|---|---------------------|---------------------|----------------------------|
| CARLO JASON S. DELA CRUZ,   | ANITAC SONNITO, END | LAWRENCE ANTHONY U. | DOCUMENT CONTROL INDICATO  |
| QUEENNIEL RUFINO, MST  MELCHE G, FALAFAR, DMgt Name and Signature | CO                  | Name & Signature    | MASTER 2001-<br>03-09 CCPV |



2024.04.11



| UNIVERSITY OF SOUTHERN MINDANAO                    | Document I | No. | Rev. 1.3811.01.03 |
|--|------------|-----|-------------------|
| Procedure for the Conduct of Laboratory Activities | Ray, No.   | 1   | Fage x of 3       |

#### 1.0 PURPOSE

This procedure ensures safe and efficient means of conducting academic and non-academic related laboratory activities in the university.

#### 2.0 SCOPE

The procedure pertains only to the laboratory activities in the colleges or research laboratories as needed for academic requirements.

#### 3.0 DEFINITION OF TERMS

- 3.4 Laboratory Activities refer to all the activities such as experiments, analyses, or exercises conducted by the students or laboratory personnel.
- 3.3 Laboratory Personnel refers to the faculty in charge, Laboratory In-Charge and staff/laboratory aide responsible for the safe conduct of laboratory activities.
- 3.3 Laboratory Manual refers to the manual wherein the laboratory activities are listed including the materials and equipment needed in the activity and the procedures and other processes needed in the conduct of the laboratory activities.
- 3.4 Borrower Sip refers to the form where students write the information of the materials, chemicals, and equipment to be borrowed.
- 3.5 Proof of Submission is evidence in a form of document, photo, video and other kind of material upon which to ascertain that the laboratory activity was conducted.

#### a REFERENCES

- 4.1 Operations Manual of the Equipment
- 4.2 Laboratory Manual
- 4.3 Laboratory Guide
- 4.4 Material Safety Data Sheet (MSDS):

#### 5.0 RESPONSIBILITY AND AUTHORITY

The faculty in charge and laboratory personnel are responsible for the safe conduct of laboratory activities. The students are responsible in performing the laboratory activities safely with the supervision of the laboratory personnel.

#### 6.0 PROCEDURE DETAILS

- 6.a. General Orientation on the Conduct of Laboratory Activities
  - 6.1.1 The faculty in charge shall ensure that students are properly priented with the procedures and laboratory safety including the use of appropriate Personal Protective Equipment (PPE).
- 6.a. Pre-Laboratory Discussion of the Laboratory Activities
  - 6.1.s. The faculty in charge shall give directions to the students regarding the procedures and the desired outcome of the laboratory activity.
- 6.3. Preparation of Laboratory Materials, Chemicals, and Equipment
  - 6.3.1 The faculty in charge or laboratory personnel shall facilitate the preparation of the materials, chamicals, and equipment to be used in the laboratory activity.
  - 6.3.2 The faculty in charge or laboratory personnel shall facilitate the proper filling out of the Borrower's Skip (USM-EDL-Fox-Rev.2.2022.02.03) upon horrowing of (items) materials.
  - 6.3.3 The students shall borrow the materials, chemicals and equipment and shall leave their IDs to the staff(leboratory elde for safekeeping. They can get their IDs back as soon as they return the materials and equipment they have borrowed.

### 6.4. Conduct of Laboratory Activities

- 6.4.1. Face-to-Face
  - 6.4.1. Students shall follow the procedures stipulated in the Laboratory Manual or Guide for the safe conduct of activities.
  - 6.4.1.2. The conduct of activities shall be done by group but laboratory reports shall be submitted individually following the protocols and procedures of the laboratory concerned.
  - 6.4.1.3. In cases when students break any glass materials or damage any equipment in the laboratory, they shall report it to the faculty in charge and the laboratory personnel. The



| UNIVERSITY OF SOUTHERN MINDANAO                    | Document | ło. | USM-EDL-equ-<br>Revisions estay |  |
|--|----------|-----|---------------------------------|--|
| Procedure for the Conduct of Laboratory Activities | Res No.  | 2   | Page 3 of 3                     |  |

students shall be responsible to replace or repair whatever materials they have broken or equipment they have damaged.

#### 6.4.2. Limited Face-to-Face

- 6.4.2.s. Students shall follow the procedures stipulated in the Laboratory Manual or Guide for the safe conduct of activities.
- 6.4.2.2. The conduct and submission of activities may be done individually or by group following minimum health standards, protocols and procedures of the laboratory concerned.
- 6.4.2.3. In cases when students break any glass materials or damage any equipment in the laboratory, they shall report it to the faculty in charge and the laboratory personnel. The students shall be responsible to replace or repair whatever materials they have broken or equipment they have damaged.
- 6.4.3.4. Student borrower or the leader of the group/class shall be the representative in making a request to the college for the materials, reagents and equipment to be borrowed following minimum health standards.
- 6.4.2.5. Non-Student Borrower shall be any able person authorized to make a request to the college for the materials, reagents and equipment to be borrowed following minimum health standards.
- 6.4.2.6. For limited face to face laboratory requirements, students may submit proof(s) of the submission of the assigned activity in a specified time.

#### 6.4.3. Online


- 6.4.3.1. Students shall follow the procedures stipulated in the Laboratory Manual or Guide for the safe conduct of activities.
- 6.4.3.2. The faculty in charge shall demonstrate virtually or send videos to be watched by students.
- 6.4.3.3. Students may conduct laboratory activities utilizing materials available locally in accordance with the procedures.
- 6.4.3.4. For online laboratory requirements, students may submit proof(s) of the submission of the assigned activity in a specified time.

#### 7.0 RECORDS RETENTION AND DISPOSAL

- 7.s. Records of this procedure shall be retained for a period of three (3) years for possible review and recall.
- 7.a. Disposal shall be done through shredding with the permission and authorization of the CMR.

### 8.0 FORMS AND RECORDS

- 8.1 Request Form (USM-EDL-F15-Rev.1.2011.02.03)
- 8.2 Borrower's Slip (USM-EDL-Fox-Rev.) 2021.02.03)



## **DEPARTMENT OF PHYSICS**

College of Science and Mathematics University of Southern Mindanao



Revised and Compiled by

JELLY GRACE B. NONESA BENEDICT D. ENTERA JEAN R. MAGANAKA AMANCIO II S. MANCERAS JUVY A. VALLESCAS LOUIE BJAN B. ARELLANO

> SY 2022-2023 SY 2023-2024


| BIOLOGY LA | BORATORY                                |                                     |
|------------|---|-------------------------------------|
|            | Laboratory Manual in General<br>Biology | Operation Manual for ACER Projector |

| Laboratory Manual in General<br>Botany  | OM for Blender             |
|---|----------------------------|
| Laboratory Manual in General<br>Zoology | OM for Computer Printer    |
| Lab. Manual in Ecology                  | OM for Computer, EPSON     |
| Lab Manual in Microbiology              | OM for Diameter Tape       |
|   | OM for digital light meter |
|   | OM for Digital Rain Gauge  |

| OM for DLP                  |           |
|-----------------------------|-----------|
| OM for DO Meter             |           |
| OM for Electric Analytical  | Balance   |
| OM for Electrophoresis      |           |
| OM for Emergency Light      |           |
| OM for Furnace, Muffle      |           |
| OM for Homogenizer          |           |
| OM for Laser Jet Printer    |           |
| OM for Kymgraph             |           |
| OM for Laptop , ACER        |           |
| OM for Microtome, Rotary    | ,         |
| OM for OHP (ELMO)           |           |
| OM for Oven (Heraceus)      |           |
| OM for Oven (WTB Binde      | r)        |
| OM for Oven, Microwave      | (GE)      |
| OM for pH for food tasting  |           |
| OM for Pilz Heating Mantle  | е         |
| OM for pressure cooker      |           |
| OM for Printer, Laser Jett  |           |
| OM for Refrigerator, Kelvii | nator     |
| OM for Respirometer         |           |
| OM for Spectrophotomete     | r         |
| OM for Stereoscope with a   | zoom lens |
| OM for Thermostatic Water   | er bath   |
| OM for TV (JVC colored)     |           |
| OM for TV, Flat (JVC Cold   | ored)     |
| OM for Windscope model      | 3105z     |
|                             |           |
|                             |           |

| CHEMISTRY | LABORATORY                                   |   |
|-----------|--|---|
|           | Laboratory Manual in General Chemistry       | Operation Manual for Centrifuge Damon/IE0             |
|           | Laboratory Manual in General Chemistry II    | OM for Distilling Apparatus (Distinction Water Still) |
|           | Laboratory Manual in Organic<br>Chemistry I  | OM for Eco Ph   |
|           | Laboratory Manual in Organic<br>Chemistry II | OM for Electronic Balance (Sartorious)                |
|           | Laboratory Manual in Biochemistry            | OM for Flame Photometer                               |
|           |  | OM for Furnace , Hot Pack, Electron Muffle            |
|           |  | OM for Furnace ,Thermolyne (Barnstead)                |
|           |  | OM for High Temp-Bath                                 |
|           |  | OM for Hot Stirrer, High Magmix                       |
|           |  | OM for Melting Point Apparatus                        |
|           |  | OM for Microscope                                     |
|           |  | OM for Moisture Meter                                 |
|           |  | OM for Oven(Heraeus)                                  |
|           |  | OM for Pilz Heating Mantle                            |
|           |  | OM for Polarimeter                                    |
|           |  | OM for Portable Electronic Balance (Ohau              |
|           |  | OM for Portable Pyrometer,Thermolyne                  |
|           |  | OM for Pressure Cooker                                |
|           |  | OM for Refractometer,Abbe-3L (Bausch& Lomb)           |
|           |  | OM for Sauter Balance                                 |
|           |  | OM for Spectrophotometer(Spectronic 23)               |
|           |  | OM for Thin Layer Chromatograph                       |
| HYSICS LA | ABORATORY                                    |   |
|           | Laboratory Guide in Physics 212              | 1. OM for Electronic Circuit                          |
|           | Laboratory Guide in Physics 214              | 2. OM for Hand Drill                                  |
|           | Laboratory Guide in Physics 222              | 3. OM for Multi Tester                                |
|           | Laboratory Guide in Physics 224              | 4. Om for Press Drill                                 |
|           |  | 5. OM for Refrigerator (Kelvinator)                   |
|           |  | 6. OM for Respirometer                                |
|           |  | 7. Om for Spectrophotometer                           |
|           |  | 8. OM for Stereoscope with zoom lens                  |
|           |  | 9. OM for Thermostatic water bath                     |
|           |  | 10. OM for TV (JVC colored)                           |
|           |  | 11. OM for TV, Flat (JVC colored)                     |
|           | -  |   |

| PHYSICAL EDUCATION LABORATORY |  |  |  |  |  |
|-------------------------------|--|--|--|--|--|
|                               | PE 111- Foundation of Physical Education | Policies and guidelines on the use of Physical Education units are posted on the wall of lab rooms |  |  |  |
|                               | PE 211 – Table Tennis                    |  |  |  |  |
|                               | PE 211 – Lawn Tennis                     |  |  |  |  |
|                               | PE 211 – Team Sports<br>(Recreation)     |  |  |  |  |



# A.5. Fire-aid Kit and antidote charts displayed conspicuously



(COMPUTER LABORATORY)



(BIOLOGY LABORATORY)



(CHEMISTRY LABORATORY)

# A.6. List of safety and precautionary measures being implemented

# Pictures of house rules and safety reminders inside the laboratory















# Pictures of dry sand, sink and shower in Biology and Chemistry laboratory rooms









# Pictures of fire extinguisher in different laboratory rooms









# Pictures of Emergency Exit Plan and emergency signs in buildings/colleges


















Fire alarm in CENCOM Building







Fire alarm and fire hose located at the CAS Building

# Control panels and circuit breakers in the different buildings and laboratory rooms









### UNIVERSITY OF SOUTHERN MINDANAO

## PROCEDURE FOR SAFETY OF STUDENTS AND LABORATORY STAFF

| -                 | Documen  | t No. U          | SM-EDL-005-Rev.1.2021.02.03  | Rev. No.         | 1    | Page 1 of 2  |
|-------------------|----------|------------------|--|------------------|------|--|
| EFFECTIVE DATE    | REV. NO. | REVISION<br>TYPE | CHANGE DESCRIPTION   | PAGE<br>AFFECTED |      | ORIGINATOR   |
| February 03, 2021 | 1        | Partial          | Revised document code and paragraphs 5.1, 5.1, 6.4.1, and 8.3                        | ALL              | CARL | ILIAN A. LUMBAO<br>DIASONS. DELA CRUZ<br>JEENNE L. RUFINO<br>ELCHIE G. PALAPAR |
| July 4, 2016      | ø        | Now              | Newly stablished in accordance<br>with the Quality Management<br>System Requirements | ALL              | ÆLL  | Y GRACE B. NONESA  |
|                   |          |                  |  | ,<               | 0    |  |
|                   |          |                  |  | (V               | -    |  |

| Prepared by:  | Reviewed by:           | Approved By:         | V      | DCC USE ONLY          |
|---|------------------------|----------------------|--------|-----------------------|
| CARLO JASON S. DE   | LA CRUZ, ANITA Z SORNI | QLEAD LAWRENCE ANTHO | ONY U. | ENT CONTROL INDICATOR |
| MAN, R.M., R.M., QUEENNIEL RUFII MELCHIEG, PALAP Name and Signa | NO, MST                | Name & Signat        |        | drail COPY            |





| UNIVERSITY OF SOUTHERN MINDANAO                       | Document | No. | USM-EDL-ang-<br>Res autora and |
|---|----------|-----|--------------------------------|
| Procedure for Safety of Students and Laboratory Staff | Rev. No. | 1   | Pages of s                     |

#### 1.0 PURPOSE

This procedure ensures safe laboratory operations.

#### 2.0 SCOPE

The procedure pertains to all students and laboratory staff performing laboratory activities.

#### 3.0 DEFINITION OF TERMS

- 3.1 Lab Safety refers to processes and discipline to prevent injuries and diseases from happening during laboratory activities.
- 3.2 Hazards refer to any agent that will render injury and disease during the conduct of laboratory activities.

#### 4.0 REFERENCES

- 4.1 Laboratory Manual
- 4.2 Laboratory Quality Manual
- 4.3 Material Safety Data Sheet (MSDS)

#### 5.0 RESPONSIBILITY & AUTHORITY

- 5.3 The Laboratory personnel shall be responsible for the dissemination of the guidelines sticulated in the Quality Manual to the faculty in charge.
- 5.2 The faculty in charge shall be responsible for informing and demonstrating the proper laboratory safety procedures to the students.

#### 6.0 PROCEDURE DETAILS

- 6.1 Wearing of Personal Protective Equipment (PPE)
  - 6.1.1 Before the conduct of any activity, exercise, greepenments all students and faculty involved in the activity shall wear the proper PPE (i.e., labor aton) govern, goggles, gloves, etc.).
  - 6.1.2 Unauthorized persons are not allowed to enter the Monatory room.
- 6.2 Proper Disposal of Used Chemicals and Toxic Materials
  - 6.2.1 Used chemicals and toxic materials shall be disposed of properly according to the MSDS protocols.
  - 6.2.2 Proper disposal of used chemicals shall be facilitated by the staff and the instructor.
- 6.3 Proper Disposal of Biological Wastes
  - 6.3.1 Microbiological and microbia Waste shall be neutralized first by decontamination before disposal.
  - 6.3.2 Biological wastes such as animal and plant tissues and specimen shall be disposed by burying.
- 6.4 Safety Measures in the Laboratory
  - 6.4.1 The laboratory personnel shall ensure that safety precaution signages are properly posted in conspicuous ages.
  - 6.4.2 Fire extinguishers shall be placed in strategic places.
  - 6.4.3 Medicine Cabine Talkal be placed in an easily accessible area in case of emergency.
  - 6.4.4 Emergency abover and eye wash area must be available in the laboratory.
  - 6.4.5 Microbial Specimen shall always be considered pathogenic and shall be handled properly.

#### 7.0 RECORDS RETENTION AND DISPOSAL


- 7.1 Records of this procedure shall be retained for a period of five (5) years for possible review and recall.
- 7.2 Disposal shall be done through shredding with the permission and authorization of the MR.

#### B.o FORMS & RECORDS

- 8.1 List of PPE
- 8.2 Material Safety Data Sheet (MSDS)
- 8.3 Pathogen Safety Data Sheet (PSDS)



## A.7. Evidence of training conducted on the proper use of laboratories




## ocumentation:



We were taught on how to put out a fire using a fire extinguisher, a hose from the fire truck and water from a faucet.









Fire drill activities







## Computer Laboratory, Multimedia Center

## A.8. Inventory of usable computer units and other equipment



## UNIVERSITY OF SOUTHERN MINDANAO

Kabacan, Cotabato
Philippines

## LABORATORY EQUIPMENT

## **COMPUTER LABORATORIES**

| QUA<br>NTIT<br>Y | NAME OF<br>EQUIPMENT |             |           | SPECIFICATIONS          |                  |                            | DATE<br>OF<br>PUR<br>CHA<br>SE | UNI<br>T<br>COS<br>T | SOU<br>RCE<br>OF<br>FUN<br>D | LOC<br>ATIO<br>N | STATU S (FUNC TIONA L, FOR REPAIR / CALIBR ATION/ CLEANI NG) |
|------------------|----------------------|-------------|-----------|-------------------------|------------------|----------------------------|--------------------------------|----------------------|------------------------------|------------------|--|
|                  |                      | Brand       | Mod<br>el | Serial Number           | Ca<br>pac<br>ity | Prope<br>rty<br>Numb<br>er |                                |                      |                              |                  |  |
| 1                | Monitor              | NVISI<br>ON | V190<br>H | V190HVL65882<br>2092179 |                  |                            |                                |                      |                              | CEIT-<br>CE16    | WORKI<br>NG  |
| 1                | Monitor              | NVISI<br>ON | V190<br>H | V190HVL65882<br>2092651 |                  |                            |                                |                      |                              | CEIT-<br>CE16    | WORKI<br>NG  |
| 1                | Monitor              | NVISI<br>ON | V190<br>H | V190HVL65882<br>2092769 |                  |                            |                                |                      |                              | CE16             | WORKI<br>NG  |
| 1                | Monitor              | NVISI<br>ON | V190<br>H | V190HVL65882<br>2091050 |                  |                            |                                |                      |                              | CEIT-<br>CE16    | WORKI<br>NG  |
| 1                | Monitor              | NVISI<br>ON | V190<br>H | V190HVL65882<br>2091068 |                  |                            |                                |                      |                              | CEIT-<br>CE16    | WORKI<br>NG  |

| Nonitor  | 1 | Monitor  | NVISI    | V190    | V190HVL65882            |  | CEIT- | WORKI  |
|--|---|----------|----------|---------|-------------------------|--|-------|--------|
| Nonitor  | _ |          |          | _       |                         |  |       |        |
| 1         Monitor         NVISI ON H         V190HVL65882 2090143         CEIT- WORKI CE16 NG           1         Monitor         NVISI N190 N190 N2905G81A230 717113         CEIT- WORKI CE16 NG           1         Monitor         NVISI V190 V190HVL65882 ON H         CEIT- WORKI CE16 NG           1         Monitor         NVISI V190 V190HVL65882 ON H         CEIT- WORKI CE16 NG           1         Monitor         NVISI V190 V190HVL65882 CE16 NG         CEIT- WORKI CE16 NG           1         Monitor         NVISI V190 V190HVL65882 CE16 NG         CEIT- WORKI CE16 NG           1         Monitor         NVISI V190 V190HVL65882 CE16 NG         CEIT- WORKI CE16 NG           1         Monitor         NVISI V190 V190HVL65882 CE16 NG         CEIT- WORKI CE16 NG           1         Monitor         NVISI V190 V190HVL65882 CE16 NG         CEIT- WORKI CE16 NG           1         Monitor         NVISI V190 V190HVL65882 CE16 NG         CEIT- WORKI CE16 NG           1         Monitor         NVISI V190 V190HVL65882 CE16 NG         CEIT- WORKI CE16 NG           1         Monitor         NVISI V190 V190HVL65882 CE16 NG         CEIT- WORKI CE16 NG           1         Monitor         NVISI V190 V190HVL65882 CE16 NG         CEIT- WORKI CE16 NG           1         Monitor         NVISI V190 V190HVL65882 CE1  | 1 | Monitor  | NVISI    | V190    | V190HVL65882            |  | CEIT- | WORKI  |
| Nonitor  |   |          | ON       | Н       | 2090216                 |  | CE16  | NG     |
| Nonitor  | 1 | Monitor  | NVISI    | V190    | V190HVL65882            |  | CEIT- | WORKI  |
| Nonitor  | _ |          |          |         |                         |  |       |        |
| Nonitor  |   | NA it    | NI) (ICI | Nicon   | N CCO. A                |  | CELT  | WORK   |
| 1         Monitor         NVISI ON H         V190 V190HV165882 209009         CEIT- CE16 NG           1         Monitor         NVISI V190 V190HV165882 2090256         CEIT- Dead CE16 Pixels           1         Monitor         NVISI V190 NH Pixels         V190HV165882 2093332         CEIT- WORKI CE16 NG           1         Monitor         NVISI V190 NH Pixels         V190HV165882 2093332         CEIT- Dead CE16 Pixels           1         Monitor         NVISI V190 NH Pixels         V190HV165882 2091043         CEIT- WORKI CE16 NG           1         Monitor         NVISI V190 NH Pixels         V190HV165882 2091043         CEIT- WORKI CE16 NG           1         Monitor         NVISI V190 NH Pixels         V190HV165882 2091043         CEIT- WORKI CE16 NG           1         Monitor         NVISI NJOH V190 NH Pixels         V190HV165882 2091043         CEIT- WORKI CE16 NG           1         Monitor         NVISI NJOH V190 NH Pixels         V190HV165882 2091051         CEIT- WORKI CE16 NG           1         Monitor         NVISI NJOH V190 NH Pixels         V190HV165882 2091035         CEIT- WORKI CE16 NG           1         Monitor         NVISI NJOH V190 NH Pixels         V190HV165882 2091035         CEIT- WORKI CE16 NG           1         Monitor         NVISI NJOH NH Pixels         V190HV165882 20913  | 1 | Monitor  |          | _       |                         |  |       |        |
| Nonitor  |   |          | ON       | טוו     | /1/113                  |  | CLIO  | 110    |
| 1         Monitor         NVISI  | 1 | Monitor  |          |         |                         |  |       |        |
| Nonitor  |   |          | ON       | Н       | 2090009                 |  | CE16  | NG     |
| Nonitor  | 1 | Monitor  | NVISI    | V190    | V190HVL65882            |  | CEIT- | Dead   |
| Nonitor  |   |          | ON       |         | 2090256                 |  | CE16  | Pixels |
| Nonitor  |   |          |          |         |                         |  |       |        |
| 1         Monitor         NVISI ON H         V190 V190HVL65882 2091083         CEIT- CE16 Pixels           1         Monitor         NVISI ON H         V190 V190HVL65882 2091340         CEIT- WORKI CE16 NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2091043         CEIT- WORKI CE16 NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2091043         CEIT- Dead CE16 Pixels           1         Monitor         NVISI ON H         V190 V190HVL65882 2091051         CEIT- WORKI CE16 NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2091051         CEIT- WORKI CE16 NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2091035         CEIT- WORKI CE16 NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2092770         CEIT- WORKI CE16 NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2093543         CEIT- WORKI CE16 NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2091813         CEIT- WORKI CE16 NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2091813         CEIT- WORKI CE16 NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2091344         CEIT- WORKI CE16 NG   | 1 | Monitor  |          |         |                         |  |       |        |
| Nonitor  |   |          | ON       | П       | 2093332                 |  | CEIO  | ING    |
| 1         Monitor         NVISI ON         V190 V190HVL65882 2091340         CEIT- WORKI CE16 NG           1         Monitor         NVISI V190 V190HVL65882 2091043         CEIT- WORKI CE16 NG           1         Monitor         NVISI V190 V190HVL65882 2091777         CEIT- Dead CE16 Pixels           1         Monitor         NVISI V190 V190HVL65882 2091051         CEIT- WORKI CE16 NG           1         Monitor         NVISI V190 V190HVL65882 NG         CEIT- WORKI CE16 NG           1         Monitor         NVISI V190 V190HVL65882 NG         CEIT- WORKI CE16 NG           1         Monitor         NVISI NVISI NG         V190HVL65882 NG         CEIT- WORKI CE16 NG           1         Monitor         NVISI NVISI NG         V190HVL65882 NG         CEIT- WORKI CE16 NG           1         Monitor         NVISI NVISI NG         V190 NGHVL65882 NG         CEIT- WORKI CE16 NG           1         Monitor         NVISI NVISI NG         V190 NGHVL65882 NG         CEIT- WORKI CE16 NG           1         Monitor         NVISI NVISI NG         V190 NGHVL65882 NG         CEIT- WORKI CE16 NG           1         Monitor         NVISI NVISI NG         V190 NGHVL65882 NG         CEIT- WORKI CE16 NG           1         Monitor         NVISI NG         V190 NGHVL65882 NG         CEIT- WO   | 1 | Monitor  |          | V190    |                         |  | CEIT- | Dead   |
| Nonitor  |   |          | ON       | Н       | 2091083                 |  | CE16  | Pixels |
| Nonitor  |   | Monitor  | NIVICI   | \/100   | \/100H\/  6582          |  | CEIT  | WORKI  |
| 1         Monitor         NVISI ON H         V190 V190HVL65882 2091043         CEIT- WORKI CE16         WORKI CE16         NVISI NG           1         Monitor         NVISI V190 ON H         V190HVL65882 2091777         CEIT- Dead CE16 Pixels           1         Monitor         NVISI V190 ON H         V190HVL65882 2091051         CEIT- WORKI CE16 NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2091035         CEIT- WORKI CE16 NG           1         Monitor         NVISI V190 V190HVL65882 2092770         CEIT- WORKI CE16 NG           1         Monitor         NVISI NG         V190 V190HVL65882 2093543         CEIT- WORKI CE16 NG           1         Monitor         NVISI NG         V190 V190HVL65882 2093543         CEIT- WORKI CE16 NG           1         Monitor         NVISI NG         V190 V190HVL65882 2093543         CEIT- WORKI CE16 NG           1         Monitor         NVISI NG         V190 V190HVL65882 2093647         CEIT- WORKI CE16 NG           1         Monitor         NVISI NG         V190 V190HVL65882 209344         CEIT- WORKI CE16 NG           1         Monitor         NVISI NG         V190 V190HVL65882 209344         CEIT- WORKI CE16 NG           1         Monitor         NVISI NG         V190 V190HVL65882 209344         CEIT- WORKI  | 1 | Monitor  |          |         |                         |  |       |        |
| ON         H         2091043         CE16         NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2091777         CEIT- Dead CE16         Dead Pixels           1         Monitor         NVISI ON H         V190 V190HVL65882 2091051         CEIT- WORKI CE16         NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2091035         CEIT- WORKI CE16         NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2092770         CEIT- WORKI CE16         NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2093543         CEIT- WORKI CE16         NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2091813         CEIT- WORKI CE16         NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2090647         CEIT- WORKI CE16         NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2091344         CEIT- WORKI CE16         NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2091344         CEIT- WORKI CE16         NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2091344         CEIT- WORKI CE16         NG   |   |          |          |         |                         |  |       |        |
| 1         Monitor         NVISI ON H         V190 V190HVL65882 2091777         CEIT- Dead CE16 Pixels           1         Monitor         NVISI ON H         V190 V190HVL65882 2091051         CEIT- WORKI CE16 NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2091035         CEIT- WORKI CE16 NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2092770         CEIT- WORKI CE16 NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2093543         CEIT- WORKI CE16 NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2091813         CEIT- WORKI CE16 NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2091813         CEIT- WORKI CE16 NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2091844         CEIT- WORKI CE16 NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2091344         CEIT- WORKI CE16 NG           1         Monitor         NVISI V190 V190HVL65882         CEIT- WORKI CE16 NG           1         Monitor         NVISI V190 V190HVL65882         CEIT- WORKI CE16 NG           1         Monitor         NVISI V190 V190HVL65882         CEIT- WORKI CE16 NG  | 1 | Monitor  |          |         |                         |  |       |        |
| 1         Monitor         NVISI V190 Pt 2091051         V190HVL65882 Pt 2091051         CE1T WORKI CE16 Pt WORKI CE16           1         Monitor         NVISI V190 Pt 2091035         V190HVL65882 Pt 2091035         CEIT WORKI CE16 Pt WORKI CE16 Pt WORKI CE16           1         Monitor         NVISI Pt 2092770         V190HVL65882 Pt 2092770         CEIT WORKI CE16 Pt WORKI C  |   |          | ON       | H       | 2091043                 |  | CE16  | NG     |
| 1         Monitor         NVISI V190 V190HVL65882 2091051         CEIT- WORKI CE16         WORKI CE16         NG           1         Monitor         NVISI V190 V190HVL65882 2091035         CEIT- WORKI CE16         NG           1         Monitor         NVISI V190 V190HVL65882 2092770         CEIT- WORKI CE16         NG           1         Monitor         NVISI V190 V190HVL65882 2093543         CEIT- WORKI CE16         NG           1         Monitor         NVISI V190 V190HVL65882 2091813         CEIT- WORKI CE16         NG           1         Monitor         NVISI V190 V190HVL65882 2090647         CEIT- WORKI CE16         NG           1         Monitor         NVISI V190 V190HVL65882 2090647         CEIT- WORKI CE16         NG           1         Monitor         NVISI V190 V190HVL65882 2091344         CEIT- WORKI CE16         NG           1         Monitor         NVISI V190 V190HVL65882 2091344         CEIT- WORKI CE16         NG           1         Monitor         NVISI V190 V190HVL65882         CEIT- WORKI CE16         NG   | 1 | Monitor  | NVISI    | V190    | V190HVL65882            |  | CEIT- | Dead   |
| 1         Monitor         NVISI ON H         2091051         CE16 NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2091035         CEIT- WORKI CE16 NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2092770         CE1T- WORKI CE16 NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2093543         CEIT- WORKI CE16 NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2091813         CE1T- WORKI CE16 NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2090647         CE1T- WORKI CE16 NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2091344         CEIT- WORKI CE16 NG           1         Monitor         NVISI ON H         V190 V190HVL65882         CEIT- WORKI CE16 NG           1         Monitor         NVISI ON H         V190 V190HVL65882         CEIT- WORKI CE16 NG           1         Monitor         NVISI V190 V190HVL65882         CEIT- WORKI CE16 NG   |   |          | ON       | Н       | 2091777                 |  | CE16  | Pixels |
| 1         Monitor         NVISI ON H         2091051         CE16 NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2091035         CEIT- WORKI CE16 NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2092770         CE1T- WORKI CE16 NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2093543         CEIT- WORKI CE16 NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2091813         CE1T- WORKI CE16 NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2090647         CE1T- WORKI CE16 NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2091344         CEIT- WORKI CE16 NG           1         Monitor         NVISI ON H         V190 V190HVL65882         CEIT- WORKI CE16 NG           1         Monitor         NVISI ON H         V190 V190HVL65882         CEIT- WORKI CE16 NG           1         Monitor         NVISI V190 V190HVL65882         CEIT- WORKI CE16 NG   |   | Monitor  | NIVICI   | \/a.o.o | \/a a a    \/  6 = 00 a |  | CEIT  | WORKI  |
| 1         Monitor         NVISI ON H         V190 V190HVL65882 2091035         CEIT- CE16         WORKI CE16         NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2092770         CE1T- WORKI CE16         NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2093543         CEIT- WORKI CE16         NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2091813         CEIT- WORKI CE16         NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2090647         CE1T- WORKI CE16         NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2091344         CEIT- WORKI CE16         NG           1         Monitor         NVISI ON H         V190 V190HVL65882         CEIT- WORKI CE16         NG           1         Monitor         NVISI ON H         V190 V190HVL65882         CEIT- WORKI CE16         NG           1         Monitor         NVISI V190 V190HVL65882         CEIT- WORKI CE16         NG   | 1 | Monitor  |          |         |                         |  |       |        |
| 1         Monitor         NVISI ON H         V190 V190HVL65882 2092770         CE16 NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2093543         CEIT- WORKI CE16 NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2093543         CEIT- WORKI CE16 NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2091813         CEIT- WORKI CE16 NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2090647         CEIT- WORKI CE16 NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2091344         CEIT- WORKI CE16 NG           1         Monitor         NVISI V190 V190HVL65882         CEIT- WORKI CE16 NG           1         Monitor         NVISI V190 V190HVL65882         CEIT- WORKI  |   |          |          |         |                         |  | 6210  |        |
| 1         Monitor         NVISI ON H         V190 V190HVL65882 2092770         CEIT- WORKI CE16         WORKI NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2093543         CEIT- WORKI CE16         WORKI NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2091813         CEIT- WORKI CE16         NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2090647         CEIT- WORKI CE16         NG           1         Monitor         NVISI ON H         V190 V190HVL65882 2091344         CEIT- WORKI CE16         NG           1         Monitor         NVISI V190 V190HVL65882         CEIT- WORKI CE16         NG           1         Monitor         NVISI V190 V190HVL65882         CEIT- WORKI CE16         NG   | 1 | Monitor  |          |         |                         |  |       |        |
| 1         Monitor         NVISI V190 V190HVL65882 ON H         CE17 WORKI CE16 NG           1         Monitor         NVISI V190 V190HVL65882 ON H         CE17 WORKI CE16 NG           1         Monitor         NVISI V190 V190HVL65882 ON H         CE17 WORKI CE16 NG           1         Monitor         NVISI V190 V190HVL65882 ON H         CE17 WORKI CE16 NG           1         Monitor         NVISI V190 V190HVL65882 ON H         CE17 WORKI CE16 NG           1         Monitor         NVISI V190 V190HVL65882 ON H         CE17 WORKI CE16 NG           1         Monitor         NVISI V190 V190HVL65882 ON H         CE17 WORKI CE16 NG  |   |          | ON       | Н       | 2091035                 |  | CE16  | NG     |
| 1         Monitor         NVISI V190 V190HVL65882 ON H         CE17 WORKI CE16 NG           1         Monitor         NVISI V190 V190HVL65882 ON H         CE17 WORKI CE16 NG           1         Monitor         NVISI V190 V190HVL65882 ON H         CE17 WORKI CE16 NG           1         Monitor         NVISI V190 V190HVL65882 ON H         CE17 WORKI CE16 NG           1         Monitor         NVISI V190 V190HVL65882 ON H         CE17 WORKI CE16 NG           1         Monitor         NVISI V190 V190HVL65882 ON H         CE17 WORKI CE16 NG           1         Monitor         NVISI V190 V190HVL65882 ON H         CE17 WORKI CE16 NG  | 1 | Monitor  | NVISI    | V190    | V190HVL65882            |  | CEIT- | WORKI  |
| 1         Monitor         NVISI ON H         V190 V190HVL65882 V190HVL65 |   |          | ON       | Н       | 2092770                 |  | CE16  | NG     |
| 1         Monitor         NVISI ON H         V190 V190HVL65882 V190HVL65 | 1 | Monitor  | NVISI    | V100    | V100HVI 6£882           |  | CFIT- | WORKI  |
| 1         Monitor         NVISI ON H         V190 V190HVL65882 V190 V190HVL65882 V190 | _ | Wionitoi |          |         |                         |  |       |        |
| ON         H         2091813         CE16         NG           1         Monitor         NVISI ON         V190 V190HVL65882 ON         CEIT- WORKI CE16         WORKI CE16         NG           1         Monitor         NVISI ON H         V190 V190HVL65882 ON H         CEIT- WORKI CE16         NG           1         Monitor         NVISI V190 V190HVL65882         CEIT- WORKI         CEIT- WORKI  |   |          |          |         |                         |  |       |        |
| 1         Monitor         NVISI ON H         V190 V190HVL65882 V190 V190HVL65882         CEIT- WORKI   | 1 | Monitor  |          |         |                         |  |       |        |
| ON         H         2090647         CE16         NG           1         Monitor         NVISI V190 V190HVL65882 ON H         CEIT- WORKI CE16         NG           1         Monitor         NVISI V190 V190HVL65882         CEIT- WORKI  |   |          | UN       | Н       | 2091813                 |  | CE16  | NG     |
| 1         Monitor         NVISI ON H         V190 V190HVL65882 V190HVL65882         CEIT- WORKI OE16         NG           1         Monitor         NVISI V190 V190HVL65882         CEIT- WORKI  | 1 | Monitor  |          | V190    | V190HVL65882            |  |       |        |
| ON         H         2091344         CE16         NG           1         Monitor         NVISI         V190         V190HVL65882         CEIT-         WORKI   |   |          | ON       | Н       | 2090647                 |  | CE16  | NG     |
| ON         H         2091344         CE16         NG           1         Monitor         NVISI         V190         V190HVL65882         CEIT-         WORKI   | 1 | Monitor  | NVISI    | V190    | V190HVL65882            |  | CEIT- | WORKI  |
| 1 Monitor NVISI V190 V190HVL65882 CEIT- WORKI  | _ |          |          |         |                         |  |       |        |
|  |   | M 22     | ND (15)  | .,      |                         |  |       | W05141 |
| ON   11   2091/12         CE10   NG  | 1 | Monitor  |          |         |                         |  |       |        |
|  |   |          |          |         | 2091/12                 |  | CLIO  | 7      |

| 1 | Monitor | AOC   | 22B1                  | GUVNCHAooo   |  |  | CEIT-             | WORKI       |
|---|---------|-------|-----------------------|--|--|--|-------------------|-------------|
|   |         |       | HS/7                  | 426  |  |  | CE16              | NG          |
|   |         |       | 1                     |  |  |  |                   |             |
|   | Monitor | AOC   | 22B1                  |  |  |  | CEIT-             | WORKI       |
| 1 | Monitor | AUC   | HS/7                  |  |  |  | CEII-             | NG          |
|   |         |       | 1                     | GUVNCHAooo   |  |  | CLIO              | 110         |
|   |         |       | _                     | 431  |  |  |                   |             |
|   |         |       |                       |  |  |  |                   |             |
| 1 | Monitor | AOC   | 22B1                  | GUVNCHA0001  |  |  | CEIT-             | WORKI       |
|   |         |       | HS/7                  | 30   |  |  | CE16              | NG          |
|   |         |       | 1                     |  |  |  |                   |             |
| 1 | Monitor | ACER  | V226                  | MMTYBSP0014  |  |  | CEIT-             | WORKI       |
|   |         |       | HQL                   | 0500FA13S11  |  |  | CE16              | NG          |
|   |         | 4.655 |                       | NATE OF THE PROPERTY OF THE PR |  |  | CEIT              | 14/00/4     |
| 1 | Monitor | ACER  | V226                  | MMTYBSP0014  |  |  | CEIT-             | WORKI       |
|   |         |       | HQL                   | 0500FAE3S11  |  |  | CE <sub>1</sub> 6 | NG          |
| 1 | Monitor | ACER  | V226                  | MMTYBSP0014  |  |  | CEIT-             | WORKI       |
|   |         |       | HQL                   | 0500FC03S11  |  |  | CE16              | NG          |
|   |         | ACED  | ) / C                 | NANATY/DCD   |  |  | CEIT              | MODIC       |
| 1 | Monitor | ACER  | V226                  | MMTYBSP0014  |  |  | CEIT-<br>CE16     | WORKI<br>NG |
|   |         |       | HQL                   | 0500FAF3S11  |  |  | CE10              | NG          |
| 1 | Monitor | ACER  | V226                  | MMTYBSP0014  |  |  | CEIT-             | WORKI       |
|   |         |       | HQL                   | 050109E3S11  |  |  | CE16              | NG          |
|   | Manitan | ACED  | \/C                   | MMTVDCDaaa   |  |  | CEIT-             | WORKI       |
| 1 | Monitor | ACER  | V226<br>HQL           | MMTYBSP0014<br>0500F43S11  |  |  | CE11-             | NG          |
|   |         |       | HQL                   | 05001 43311  |  |  | CLIO              | ING         |
| 1 | Monitor | ACER  | V226                  | MMTYBSP0014  |  |  | CEIT-             | WORKI       |
|   |         |       | HQL                   | 0500F693S11  |  |  | CE16              | NG          |
| 1 | Monitor | ACER  | V226                  | MMTYBSP0014  |  |  | CEIT-             | WORKI       |
| _ | WOTHEO  | ACLIN | HQL                   | 0500FD23S11  |  |  | CE16              | NG          |
|   |         |       | 1102                  | 0,001 22,311   |  |  | CLIO              | 110         |
| 1 | Monitor | AOC   | 22B1                  | GUVNCHA000   |  |  | CEIT-             | WORKI       |
|   |         |       | HS/7                  | 058  |  |  | CE16              | NG          |
|   |         |       | 1                     |  |  |  |                   |             |
| 1 | Monitor | AOC   | 22B1                  | GUVNCHA0001  |  |  | CEIT-             | WORKI       |
|   |         |       | HS/7                  | 41   |  |  | CE <sub>1</sub> 6 | NG          |
|   |         |       | 1                     |  |  |  |                   |             |
|   | NA :+   | 400   |                       | CLIVALCULA   |  |  | CEIT              | WORK        |
| 1 | Monitor | AOC   | 22B1<br>⊔c <i>I</i> - | GUVNCHA000   |  |  | CEIT-<br>CE16     | WORKI<br>NG |
|   |         |       | HS/7                  | 050  |  |  | CE10              | ING         |
|   |         |       |                       |  |  |  |                   |             |
| 1 | Monitor | AOC   | 22B1                  | GUVNCHA0003  |  |  | CEIT-             | WORKI       |
|   |         |       | HS/7                  | 99   |  |  | CE16              | NG          |
|   |         |       | 1                     |  |  |  |                   |             |
| 1 | Monitor | AOC   | 22B1                  | GUVNCHAooo   |  |  | CEIT-             | WORKI       |
|   |         |       | HS/7                  | 400  |  |  | CE <sub>16</sub>  | NG          |
|   |         |       | 1                     |  |  |  |                   |             |
|   |         |       |                       |  |  |  |                   |             |

| 25 | System Unit | Neutr                   | -        | -       |  |  | CEIT-         | WORKI          |
|----|-------------|-------------------------|----------|---------|--|--|---------------|----------------|
|    |             | on I-<br>ON             |          |         |  |  | CE16          | NG             |
| 7  | System unit | INPLA                   | -        | -       |  |  | CEIT-         | WORKI          |
|    |             | Υ                       |          |         |  |  | CE16          | NG             |
| 8  | System unit | Tower                   | -        | -       |  |  | CEIT-         | WORKI          |
|    |             | case                    |          |         |  |  | CE16          | NG             |
| 1  | System unit | INPLA                   | -        | -       |  |  | CEIT-         | MOTHE<br>RBOAR |
|    |             | Y                       |          |         |  |  | CE16          | D              |
|    |             |                         |          |         |  |  |               | DAMAG<br>E     |
| 25 | Keyboard    | Nexio                   | -        | -       |  |  | CEIT-         | WORKI          |
|    | ,           | n                       |          |         |  |  | CE16          | NG             |
| 25 | Mouse       | Nexio                   | -        | -       |  |  | CEIT-         | WORKI          |
|    |             | n                       |          |         |  |  | CE16          | NG             |
| 8  | Keyboard    | A <sub>4</sub> Tec      | KK-3     | 22seroo |  |  | CEIT-         | WORKI          |
|    |             | h                       |          |         |  |  | CE16          | NG             |
| 8  | Mouse       | A <sub>4</sub> Tec      | OP-      | 22SER01 |  |  | CEIT-         | WORKI          |
|    |             | h                       | 330      |         |  |  | CE16          | NG             |
| 8  | UPS         | Secur                   | -        | -       |  |  | CEIT-         | WORKI          |
|    |             | е                       |          |         |  |  | CE16          | NG             |
| 32 | AVR         | Secur                   | -        | -       |  |  | CEIT-         | WORKI          |
|    |             | е                       |          |         |  |  | CE16          | NG             |
| 8  | Mouse       | A <sub>4</sub> Tec<br>h | OP-      | 24XSl01 |  |  | CEIT-<br>CE16 | WORKI<br>NG    |
|    |             |                         | 330      |         |  |  |               |                |
| 8  | Keyboard    | A <sub>4</sub> Tec      | KRS-     | 24XSI00 |  |  | CEIT-<br>CE16 | WORKI<br>NG    |
|    |             | h                       | 3        |         |  |  | CETO          | NG             |
|    |             |                         |          |         |  |  |               |                |
| 8  | All in one  | Dell                    | W19<br>B | -       |  |  | CEIT-         | WORKI<br>NG    |
|    | computer    |                         |          |         |  |  | CE10          |                |
| 2  | All in one  | Dell                    | W19      | -       |  |  | HR            | WORKI          |
|    | computer    |                         | В        |         |  |  |               | NG             |
| 9  | Keyboard    | Geniu                   | -        | -       |  |  | CEIT-         | WORKI          |
|    |             | S                       |          |         |  |  | CE10          | NG             |
| 18 | Mouse       | A <sub>4</sub> Tec      | OP-      | 23XER01 |  |  | CEIT-         | WORKI          |
|    |             | h                       | 720      |         |  |  | CE10          | NG             |
| 5  | Mouse       | Lenov                   | -        | -       |  |  | CEIT-         | WORKI          |
|    |             | 0                       |          |         |  |  | CE10          | NG             |
| 14 | Keyboard    | Dell                    | -        | -       |  |  | CEIT-         | WORKI          |
|    |             |                         |          |         |  |  | CE10          | NG             |

| 10 | All in one | Dell | W19      |               | 1 1 |   | CEIT  | HARD        |
|----|------------|------|----------|---------------|-----|---|-------|-------------|
| 10 | computer   | Deli | W19<br>B | -             |     |   | STOC  |             |
|    | compoter   |      |          |               |     |   | 310C  | CORRU       |
|    |            |      |          |               |     |   | ROO   | PTED        |
|    |            |      |          |               |     |   | M     | 11120       |
|    |            |      |          |               |     |   | IVI   |             |
| 1  | Monitor    | acer | V226     | MMTYBSP0014   |     |   | CEIT- | WORKI       |
|    |            |      | hql      | 0500FBE3S11   |     |   | CE10  | NG          |
|    | NA it      |      | ) / C    | NANATY/DCD    |     |   | CEIT  | MODIA       |
| 1  | Monitor    | acer | V226     | MMTYBSP0014   |     |   | CEIT- | WORKI       |
|    |            |      | hql      | 0500F543S11   |     |   | CE10  | NG          |
| 1  | Monitor    | acer | V226     | MMTYBSP0014   |     |   | CEIT- | WORKI       |
|    |            |      | hql      | 0500F643S11   |     |   | CE10  | NG          |
|    |            |      |          |               |     |   |       |             |
| 1  | Monitor    | acer | V226     | MMTYBSP0014   |     |   | CEIT- | WORKI       |
|    |            |      | hql      | 0500F5B3S11   |     |   | CE10  | NG          |
| 1  | Monitor    | acer | V226     | MMTYBSP0014   |     |   | CEIT- | WORKI       |
|    |            |      | hql      | 05010983S11   |     |   | CE10  | NG          |
|    |            |      | '        |               |     |   |       |             |
| 1  | Monitor    | acer | V226     | MMTYBSP0014   |     |   | CEIT- | WORKI       |
|    |            |      | hql      | 0500FBC3S11   |     |   | CE10  | NG          |
| 1  | Monitor    | acer | V226     | MMTYBSP0014   |     |   | ICT   | WORKI       |
| _  | Wionitoi   | acci | hql      | 0500F653S11   |     |   | OFFI  | NG          |
|    |            |      | 1191     | 0,00,0,5511   |     |   | CE    | 1.0         |
|    |            |      |          |               |     |   |       |             |
| 1  | Monitor    | acer | V226     | MMTYBSP0014   |     |   | CEIT- | WORKI       |
|    |            |      | hql      | 0500FA53S11   |     |   | CE10  | NG          |
| 1  | Monitor    | acer | V226     | MMTYBSP0014   |     |   | CEIT- | WORKI       |
| _  | Wionitoi   | acci | hql      | 0500FAD3S11   |     |   | CE10  | NG          |
|    |            |      | 1.9.     | 0,000.7.2,022 |     |   | 0220  |             |
| 1  | Monitor    | acer | V226     | MMTYBSP0014   |     |   | CEIT- | WORKI       |
|    |            |      | hql      | 0500FA33S11   |     |   | CE10  | NG          |
|    | NA it      |      | ) / C    | NANATY/DCD    |     |   | CEIT  | MODICI      |
| 1  | Monitor    | acer | V226     | MMTYBSP0014   |     |   | CEIT- | WORKI<br>NG |
|    |            |      | hql      | 0500F663S11   |     |   | CE10  | ING         |
| 1  | Monitor    | acer | V226     | MMTYBSP0014   |     |   | CEIT- | WORKI       |
|    |            |      | hql      | 05010AB3S11   |     |   | CE10  | NG          |
|    |            |      |          |               |     |   |       |             |
| 1  | Monitor    | acer | V226     | MMTYBSP0014   |     |   | CEIT- | WORKI       |
|    |            |      | hql      | 0500GB23S11   |     |   | CE10  | NG          |
| 1  | Monitor    | acer | V226     | MMTYBSP0014   |     |   | CEIT- | WORKI       |
|    |            |      | hql      | 0500DSE3S11   |     |   | CE10  | NG          |
|    |            |      |          |               |     |   |       |             |
| 1  | Monitor    | acer | V226     | MMTYBSP0014   |     |   | CEIT- |             |
|    |            |      | hql      | 0500F9C3S11   |     |   | CE10  | NG          |
| 1  | Monitor    | acer | V226     | MMTYBSP0014   |     |   | CEIT- | WORKI       |
|    | 1410111101 | ucci | hql      | 0500FB93S11   |     |   | CE10  | NG          |
|    |            |      |          |               |     |   |       |             |
| 1  | Monitor    | acer | V226     | MMTYBSP0014   |     |   | CEIT- | WORKI       |
|    |            |      | hql      | 0500F6B3S11   |     |   | CE10  | NG          |
|    |            |      |          |               |     | 1 |       |             |

|   | Monitor   | 2005   | V/226           | MMTVDCDaaa                 | <u> </u> | T | CEIT- | WORKI |
|---|-----------|--------|-----------------|----------------------------|----------|---|-------|-------|
| 1 | IVIONITOF | acer   | V226<br>hql     | MMTYBSP0014<br>0500FB13S11 |          |   | CE10  | NG    |
| 1 | Monitor   | acer   | V226            | MMTYBSP0014                |          |   | CEIT- | WORKI |
|   |           |        | hql             | 05010AA3S11                |          |   | CE10  | NG    |
| 1 | Monitor   | acer   | V226            | MMTYBSP0014                |          |   | CEIT- | WORKI |
| _ | Wionicol  | deei   | hql             | 05010AC3S11                |          |   | CE10  | NG    |
|   | Manitan   |        | \/C             | MMTVDCDaaa                 |          |   | CEIT- | WORKI |
| 1 | Monitor   | acer   | V226<br>hql     | MMTYBSP0014<br>0500FA43S11 |          |   | CE11- | NG    |
|   |           |        | 1141            | 05001 A43511               |          |   | CLIO  | 110   |
| 1 | Monitor   | acer   | V226            | MMTYBSP0014                |          |   | CEIT- | WORKI |
|   |           |        | hql             | 05010853S11                |          |   | CE10  | NG    |
| 1 | Monitor   | acer   | V226            | MMTYBSP0014                |          |   | CEIT- | WORKI |
|   |           |        | hql             | 0500FA03S11                |          |   | CE10  | NG    |
| 1 | Monitor   | acer   | V226            | MMTYBSP0014                |          |   | CEIT- | WORKI |
|   |           |        | hql             | 0500FBB3S11                |          |   | CE10  | NG    |
| 1 | Monitor   | acer   | V226            | MMTYBSP0014                |          |   | CEIT- | WORKI |
|   |           |        | hql             | 0500F4A3S11                |          |   | CE10  | NG    |
| 1 | Monitor   | acer   | V226            | MMTYBSP0014                |          |   | CEIT- | WORKI |
| _ |           |        | hql             | 0500F523S11                |          |   | CE10  | NG    |
| 1 | Monitor   | acer   | V226            | MMTYBSP0014                |          |   | ICT   | WORKI |
|   |           |        | hql             | 0500FB23S11                |          |   | OFFI  | NG    |
|   |           |        |                 |                            |          |   | CE    |       |
| 1 | Monitor   | acer   | V226            |                            |          |   | ICT   | WORKI |
|   |           |        | hql             |                            |          |   | OFFI  | NG    |
|   |           |        |                 |                            |          |   | CE    |       |
| 1 | Monitor   | nvisio | Eg24            | EG240BHKCJH                |          |   | CEIT- | WORKI |
|   |           | n      | <b>S1</b>       | P240930868                 |          |   | CE10  | NG    |
|   |           |        | pro             |                            |          |   |       |       |
| 1 | Monitor   | nvisio | EG <sub>2</sub> | EG240BHKCJH                |          |   | CEIT- | WORKI |
|   |           | n      | 4S1p            | P240930887                 |          |   | CE10  | NG    |
|   |           |        | ro              |                            |          |   |       |       |
| 1 | Monitor   | Nvisio | EG <sub>2</sub> | EG24OBHKCJH                |          |   | CEIT- | WORKI |
|   |           | n      | 4S1p            | P240930252                 |          |   | CE10  | NG    |
|   |           |        | ro              |                            |          |   |       |       |
| 1 | Monitor   | Nvisio | EG <sub>2</sub> | EG24OBHKCJH                |          |   | CEIT- | WORKI |
|   |           | n      | 4S1p            | P240961427                 |          |   | CE10  | NG    |
|   |           |        | ro              |                            |          |   |       |       |
| 1 | Monitor   | Nvisio | EG <sub>2</sub> | EG24OBHKCJH                |          |   | CEIT- | WORKI |
|   |           | n      | 4S1p            | P249854323                 |          |   | CE10  | NG    |
|   |           |        | ro              |                            |          |   |       |       |
| 1 | Monitor   | Nvisio | EG2             | EG24OBHKCJH                |          |   | CEIT- | WORKI |
|   |           | n      | 4S1p            | P240930703                 |          |   | CE10  | NG    |
|   |           |        | ro              |                            |          |   |       |       |
|   |           |        |                 | l                          |          |   |       |       |

| 1 | Monitor   | Nvisio         | EG2             | EG24OBHKCJH  |  |     | CEIT- | WORKI |
|---|-----------|----------------|-----------------|--------------|--|-----|-------|-------|
| _ | Wienicon  | n              | 4S1p            | P240961424   |  |     | CE10  | NG    |
|   |           |                | ro              | . 240302424  |  |     | 5213  |       |
|   |           |                | . 0             |              |  |     |       |       |
| 1 | Monitor   | Nvisio         | EG2             | EG24OBHKCJH  |  |     | CEIT- | WORKI |
|   |           | n              | 4S1p            | P240961434   |  |     | CE10  | NG    |
|   |           |                | ro              |              |  |     |       |       |
|   | N.4 ':    | N              | 5.0             | EC ODUNCIN   |  |     | CEIT  | MODIA |
| 1 | Monitor   | Nvisio         | EG2             | EG24OBHKCJH  |  |     | CEIT- | WORKI |
|   |           | n              | 4S1p            | P240961455   |  |     | CE10  | NG    |
|   |           |                | ro              |              |  |     |       |       |
| 1 | Monitor   | Nvisio         | EG2             | EG24OBHKCJH  |  |     | CEIT- | WORKI |
|   |           | n              | 4S1p            | P240961497   |  |     | CE10  | NG    |
|   |           |                | ro              | , 5 .5.      |  |     |       |       |
|   |           |                |                 |              |  |     |       |       |
| 1 | Monitor   | Nvisio         | EG <sub>2</sub> | EG24OBHKCJH  |  |     | CEIT- | WORKI |
|   |           | n              | 4S1p            | P240930914   |  |     | CE10  | NG    |
|   |           |                | ro              |              |  |     |       |       |
| 1 | Monitor   | Nvisio         | EG <sub>2</sub> | EG24OBHKCJH  |  | +   | CEIT- | WORKI |
|   |           | n              | 4S1p            | P240930897   |  |     | CE10  | NG    |
|   |           |                | ro              | 1-33- 37     |  |     |       |       |
|   |           |                |                 |              |  |     |       |       |
| 1 | Monitor   | Nvisio         | EG2             | EG24OBHKCJH  |  |     | CEIT- | WORKI |
|   |           | n              | 4S1p            | P240961413   |  |     | CE10  | NG    |
|   |           |                | ro              |              |  |     |       |       |
| 1 | Monitor   | Nvisio         | EG <sub>2</sub> | EG24OBHKCJH  |  |     | CEIT- | WORKI |
| _ | Wioriitoi | n              | 4S1p            | P240930391   |  |     | CE10  | NG    |
|   |           | ''             | ro              | 1 240930391  |  |     | CLIO  | ING   |
|   |           |                | 10              |              |  |     |       |       |
| 1 | SYSTEM    | AuraG          | Mid             | 041724501309 |  |     | CEIT- | WORKI |
|   | UNIT      | C <sub>2</sub> | Tow             |              |  |     | CE10  | NG    |
|   |           |                | er              |              |  |     |       |       |
|   | SYSTEM    | AuraG          | Mid             | 0/172/501150 |  |     | CEIT- | WORKI |
| 1 | UNIT      | C <sub>2</sub> | Tow             | 041724501150 |  |     | CE10  | NG    |
|   | OINIT     | C2             | er              |              |  |     | CLIO  | ING   |
|   |           |                | E1              |              |  |     |       |       |
| 1 | SYSTEM    | AuraG          | Mid             | 041724509321 |  |     | CEIT- | WORKI |
|   | UNIT      | C <sub>2</sub> | Tow             |              |  |     | CE10  | NG    |
|   |           |                | er              |              |  |     |       |       |
|   | CVCTE**   | A              | NA: I           |              |  |     | CEIT  | WORK  |
| 1 | SYSTEM    | AuraG          | Mid             | 041724501313 |  |     | CEIT- | WORKI |
|   | UNIT      | C <sub>2</sub> | Tow             |              |  |     | CE10  | NG    |
|   |           |                | er              |              |  |     |       |       |
| 1 | SYSTEM    | AuraG          | Mid             | 041724501138 |  | 1 1 | CEIT- | WORKI |
|   | UNIT      | C <sub>2</sub> | Tow             |              |  |     | CE10  | NG    |
|   |           |                | er              |              |  |     |       |       |
|   |           |                |                 |              |  |     |       |       |
| 1 | SYSTEM    | AuraG          | Mid             | 041724501291 |  |     | CEIT- | WORKI |
|   | UNIT      | C2             | Tow             |              |  |     | CE10  | NG    |
|   |           |                | er              |              |  |     |       |       |
|   |           | 1              | l               |              |  |     |       |       |

| 1  | SYSTEM   | AuraG              | Mid  | 041724500828  |          |      |          | CEIT-     | WORKI    |
|----|----------|--------------------|------|---------------|----------|------|----------|-----------|----------|
|    | UNIT     | C <sub>2</sub>     | Tow  | 041/24500020  |          |      |          | CE10      | NG       |
|    | OIIII    | C2                 | er   |               |          |      |          | CLIO      | 110      |
|    |          |                    | Ci   |               |          |      |          |           |          |
| 1  | SYSTEM   | AuraG              | Mid  | 041724501293  |          |      |          | CEIT-     | WORKI    |
|    | UNIT     | C <sub>2</sub>     | Tow  |               |          |      |          | CE10      | NG       |
|    |          |                    | er   |               |          |      |          |           |          |
|    |          |                    |      |               |          |      |          |           |          |
| 1  | SYSTEM   | AuraG              | Mid  | 041724700073  |          |      |          | CEIT-     | WORKI    |
|    | UNIT     | C <sub>2</sub>     | Tow  |               |          |      |          | CE10      | NG       |
|    |          |                    | er   |               |          |      |          |           |          |
| 1  | SYSTEM   | AuraG              | Mid  | 041724501311  |          |      |          | CEIT-     | WORKI    |
| 1  | UNIT     | C <sub>2</sub>     | Tow  | 041/24501311  |          |      |          | CE10      | NG       |
|    | OIVII    | C2                 | er   |               |          |      |          | CLIO      | ING      |
|    |          |                    | Ci   |               |          |      |          |           |          |
| 1  | SYSTEM   | AuraG              | Mid  | 041724500808  |          |      |          | CEIT-     | WORKI    |
|    | UNIT     | C <sub>2</sub>     | Tow  |               |          |      |          | CE10      | NG       |
|    |          |                    | er   |               |          |      |          |           |          |
|    |          |                    |      |               |          |      |          |           |          |
| 1  | SYSTEM   | AuraG              | Mid  | 04172470072   |          |      |          | CEIT-     | WORKI    |
|    | UNIT     | C2                 | Tow  |               |          |      |          | CE10      | NG       |
|    |          |                    | er   |               |          |      |          |           |          |
| 1  | SYSTEM   | AuraG              | Mid  | 041724500324  |          |      |          | CEIT-     | WORKI    |
|    | UNIT     | C <sub>2</sub>     | Tow  |               |          |      |          | CE10      | NG       |
|    |          |                    | er   |               |          |      |          |           |          |
|    |          |                    |      |               |          |      |          |           |          |
| 1  | SYSTEM   | AuraG              | Mid  | 0417247500432 |          |      |          | CEIT-     | WORKI    |
|    | UNIT     | C <sub>2</sub>     | Tow  |               |          |      |          | CE10      | NG       |
|    |          |                    | er   |               |          |      |          |           |          |
| 1/ | keyboard | A <sub>4</sub> Tec | KRS- | 24XSI43       |          |      |          | CEIT-     | WORKI    |
| 14 | Reyboard | h                  | 8372 | 24/3/43       |          |      |          | CE10      | NG       |
|    |          | 11                 | 03/2 |               |          |      |          | CLIO      | NG       |
| 14 | Mouse    | A <sub>4</sub> Tec | KRS- | 24XSI43       |          |      |          | CEIT-     | WORKI    |
|    |          | h                  | 8372 |               |          |      |          | CE10      | NG       |
|    |          |                    |      |               |          |      |          |           |          |
| 24 | Mouse    | A <sub>4</sub> Tec | OP-  | 24XSI01       |          |      |          | CEIT-     | WORKI    |
|    |          | h                  | 330  |               |          |      |          | CE10      | NG       |
| 3  | Mouse    | A <sub>4</sub> Tec | OP-  | 24XSl01       |          |      |          | ICT       | WORKI    |
| 3  | WOOSC    | h                  | 330  | 24/3/01       |          |      |          | OFFI      | NG       |
|    |          |                    | 330  |               |          |      |          | CE        | 110      |
|    |          |                    |      |               | <u> </u> | <br> |          | <br>      | <u> </u> |
| 24 | Keyboard | A <sub>4</sub> Tec | KRS- | 24XSI00       |          |      |          | <br>CEIT- | WORKI    |
|    |          | h                  | 3    |               |          |      |          | CE10      | NG       |
|    | IZ ah    | A . T              |      |               |          |      |          | ıcT       | WORK     |
| 3  | Keyboard | A <sub>4</sub> Tec | KRS- | 24XSI00       |          |      |          | ICT       | WORKI    |
|    |          | h                  | 3    |               |          |      |          | OFFI      | NG       |
|    |          |                    |      |               |          |      |          | CE        |          |
| 24 | AVR      | Secur              | -    | -             |          |      |          | CEIT-     | WORKI    |
|    |          | е                  |      |               |          |      |          | CE10      | NG       |
|    |          |                    |      |               |          |      |          |           |          |
| 3  | AVR      | Secur              | -    | -             |          |      |          | ICT       | WORKI    |
|    |          | е                  |      |               |          |      |          | OFFI      | NG       |
|    |          |                    |      |               |          |      |          | CE        |          |
|    |          |                    |      |               |          |      | <u> </u> |           |          |

| 24 | SYSTEM<br>UNIT | Tower case    | - | - |  |  | CEIT-<br>CE10     | WORKI<br>NG |
|----|----------------|---------------|---|---|--|--|-------------------|-------------|
| 3  | SYSTEM<br>UNIT | Tower<br>case | - | - |  |  | ICT<br>OFFI<br>CE | WORKI<br>NG |

## A.g. Guidelines in the use of computer laboratories

## Rules for the Computer Laboratory

- 1. **No Food or Drinks**: Eating or drinking is not allowed to prevent damage to equipment.
- 2. **Authorized Use Only**: Access is restricted to students, faculty, and staff with proper permission.
- 3. **Handle Equipment with Care**: Avoid rough handling of computers, keyboards, mice, and other devices.
- 4. **Save Your Work**: Use personal storage devices or cloud services for saving files. Files on lab computers may be erased regularly.
- 5. **Internet Use**: The internet is strictly for academic or research purposes. Inappropriate website access is prohibited.
- 6. **No Installation of Software**: Do not install, uninstall, or modify any software or settings without permission.
- 7. **Log In with Your Credentials**: Use your assigned account and keep your login details secure.
- 8. **Maintain Silence**: Speak softly and keep noise levels low to respect others.
- 9. **No Gaming or Streaming**: The lab is for academic purposes only. Gaming and non-academic video streaming are not allowed.
- 10. **Report Issues**: Notify the lab supervisor immediately of any damaged or malfunctioning equipment.
- 11. **Keep the Lab Clean**: Dispose of waste properly and leave your workspace tidy.
- 12. **Switch Off When Done**: Log out, shut down the computer, and push your chair in after use.
- 13. **No Unauthorized Devices**: Connecting personal devices to lab equipment is not permitted unless authorized.
- 14. **Respect Others**: Be courteous and considerate of others working in the lab.

Violations of these rules may result in restricted access to the laboratory or other disciplinary actions.

## A.10. PDF of the designated computer technicians


| CS Form No. 212<br>Revised 2017       | PERSO  | NAL DAT                             | 'A SH                   | 1EE                            | Т            |  |                      |                                |
|---------------------------------------|--|-------------------------------------|-------------------------|--------------------------------|--------------|--|----------------------|--------------------------------|
| concerned.                            | ation made in the Personal Data Sheet and th   | he Work Experience Sheet            | shall cause th          | e filing of a                  | dministrati  | ve/criminal case   | 's against the       | person                         |
| Print legibly. Tick appropriate boxes | TO FILLING OUT THE PERSONAL DATA SH<br>(C) and use separate sheet if necessary, Indicate | N/A if not applicable. DO NOT       | ABBREVIATE.             | HE POS FO                      | 1. CS ID No  |  | (Do not fill up.     | For CSC use or                 |
| L PERSONAL INFORMATIC                 |  |                                     | 100                     | N. 1997                        |              |  |                      | Annual Control                 |
| 2. SURNAME                            | АТІН   |                                     |                         |                                |              | NAME EXTENSION U   | P. (P)               |                                |
| FIRST NAME                            | GHANY MHAR   |                                     |                         |                                |              |  |                      |                                |
| MIDDLE NAME                           | GINOGALING   |                                     |                         | _                              |              |  |                      |                                |
| 3. DATE OF BIRTH<br>(mm/dd/yyyy)      | 4/27/2000  | 16. CITIZENSHIP                     |                         | √ File                         | ino          | Dual Citizenshi  |                      | alization                      |
| 4. PLACE OF BIRTH                     | KABACAN, COTABATO  | If holder of dual citize            |                         |                                |              | Pls. indicate  | country:             |                                |
| 5. SEX                                | ☑ Male ☐ Female  | please indicate the d               | letals.                 | 1                              |              |  |                      | 7                              |
| 6 CIVIL STATUS                        | ☑ Single ☐ Married   | 17. RESIDENTIAL ADDRESS             |                         | BAY PLANG V                    |              | BAI MAT  | ABAY PLANG VI        | LLAGE 2                        |
|                                       | ☐ Widowed ☐ Separated ☐ Other/s:   |                                     |                         | use/Block/Lot N<br>BAY PLANG V |              |  | Simel<br>POBLACION   |                                |
|                                       | -  | 1                                   | Su                      | bdivision/Villeg<br>KABACAN    | •            |  | Berangey<br>COTABATO |                                |
| 7. HEIGHT (m)                         | 1.6  |                                     | 0                       | ty/Municipality                |              |  | Province             |                                |
| 8. WEIGHT (kg)                        | 70   | ZIP CODE                            | 1                       | 0047                           |              |  |                      |                                |
| 9. RL000 TYPE                         | "B"  | 18. PERMANENT ADDRESS               | -                       | une/Block/Lot fr               |              |  | Street               |                                |
| 10. GSIS ID NO.                       | N/A  | 1                                   |                         | BAY PLANG V                    |              |  | POBLACION            |                                |
|                                       |  | 1                                   | Su                      | bdivision/Villag<br>KABACAN    | •            |  | Barangay<br>COTABATO |                                |
| 11, PAG-IBIG ID NO.                   | N/A  | 1                                   | - 0                     | ily Municipality               |              |  | Province             |                                |
| 12. PHILHEALTH NO.                    | 17-250081151-5   | ZIP CODE                            | l                       | 90                             | 1/           |  |                      |                                |
| 13. SSS NO.                           | N/A  | 19. TELEPHONE NO.                   | N/A                     |                                |              |  |                      |                                |
| 14. TIN NO.                           | 629-542-095  | 20. MOBILE NO.                      | 09453140727             |                                |              |  |                      |                                |
| 15. AGENCY EMPLOYEE NO.               | NA   | 21. E-MAIL ADDRESS (If arry)        | atihghanymhar@gmail.com |                                |              |  |                      |                                |
| II. FAMILY BACKGROUND                 |  | Annual Property and                 |                         | (Solis)                        | 04000        | Marin Salar  | 10240                |                                |
| 22. SPOUSE'S SURNAME                  | N/A  |                                     | 23. NAME of CH          | ILDREN (Wil                    | full name an | i list ali)  | DATE OF BIR          | TH (mm/dd/yyy)                 |
| FIRST NAME                            | N/A  | NAME EXTENSION (JR., SR)            |                         |                                |              |  |                      |                                |
| MIDDLE NAME                           | N/A  |                                     |                         |                                |              |  |                      |                                |
| OCCUPATION                            | NA   |                                     |                         |                                |              |  |                      |                                |
| EMPLOYER BUSINESS NAME                | N/A  |                                     |                         | -                              | -            |  |                      |                                |
| BUSINESS ADDRESS                      | NA   |                                     |                         |                                |              |  |                      |                                |
| TELEPHONE NO.                         | N/A  |                                     |                         |                                |              |  |                      |                                |
| M. FATHER'S SURNAME                   | ATIH   |                                     | -                       |                                |              |  |                      |                                |
|                                       | ABRAHAM  | NAME EXTENSION (JR., SR)            |                         |                                |              | _  |                      |                                |
| FIRST NAME                            |  |                                     | -                       |                                |              |  |                      |                                |
| MIDDLE NAME                           | GANIH  |                                     | -                       |                                |              |  |                      |                                |
| S. MOTHER'S MADEN NAME                |  |                                     | _                       |                                |              |  |                      |                                |
| SURNAME                               | GINOGALING   |                                     |                         |                                |              | -  |                      |                                |
| FIRST NAME                            | LEAH   |                                     |                         |                                |              |  |                      |                                |
| MIDDLE NUME                           | TAGANOS  |                                     |                         | (Co                            | ntinue on se | parate sheet if neces  | ssary)               |                                |
| IL EDUCATIONAL BACKS                  | ROUND  |                                     |                         |                                |              | A STATE OF THE PARTY OF THE PAR |                      | SONOARSHO                      |
| TEAET                                 | NAME OF SCHOOL<br>(Write in full)  | BASIC EDUCATION DEGRE               | EE/COURSE               | PERSON OF A                    | To           | UNITS EARNED<br>(If not graduated)   | YEAR<br>ORADUATED    | ACADEMIC<br>HONORS<br>RECEIVED |
| ELEMENTARY                            | KABACAN PILOT CENTRAL SCHOOL   | NA.                                 |                         | 2006                           | 2012         |  | 2012                 | Athlete of the Year            |
| JUNIOR HIGH<br>SOHOOL                 | KABACAN NATIONAL HIGH SCHOOL/JUNIOR HIGH<br>SCHOOL                                       | NA NA                               |                         | 2012                           | 2017         |  | 2017                 | Athlete of the Year            |
| SENIOR HIGH<br>SCHOOL                 | UNIVERSITY OF SOUTHERN MINDANAGISENIOR<br>HIGH SCHOO                                     | TECH-VOC/INFORMATION CO             |                         | 2017                           | 2018         |  | 2018                 |                                |
| correct                               | UNIVERSITY OF SOUTHERN MINDANIAO   | BACHELOR OF SCIENCE IN I<br>SYSTEMS | NFORMATION              | 2018                           | 2023         |  | 2023                 |                                |
| GRADUATE STUDIES                      | NA   | NA                                  |                         | N/A                            | N/A          |  |                      |                                |
|                                       | (Co  | ontinue on separate sheet if nec    | essary)                 |                                |              |  |                      |                                |
| SIGNATURE                             |  |                                     |                         | D/                             | TE           | Ja   | nuary 10, 202        | 3                              |

| CAREE       | RVICE ELIGI    |   |                      |                           |  |               |   |                          |                  |
|-------------|----------------|---|----------------------|---------------------------|--|---------------|---|--------------------------|------------------|
|             | SPECIAL LAV    | 080 (BOARD/ BAR) UNDER<br>VS/ CES/ CSEE | RATING               | DATE OF<br>EXAMINATION /  | PLACE OF EXAMIN                                | ATION / CONFI | ERMENT  | LICENSE (# a             | -                |
| BAR         | WNGAY ELIGIBAL | TY / DRIVER'S LICENSE                   | (If Applicable)      | CONFERMENT                | Police of Examin                               | ATION TOOM    | LPWENT  | NUMBER                   | Date of<br>Vande |
|             | N/A            |   |                      |                           |  |               |   |                          |                  |
|             |                |   |                      |                           |  |               |   |                          | -                |
|             |                |   |                      |                           |  |               |   |                          |                  |
|             |                |   |                      |                           |  |               |   |                          |                  |
| -           |                |   |                      |                           |  |               |   |                          | -                |
|             |                |   |                      |                           |  |               |   |                          |                  |
|             |                |   |                      |                           |  |               |   |                          |                  |
|             |                |   |                      |                           |  |               |   |                          |                  |
| _           |                |   |                      |                           |  |               |   |                          | _                |
|             |                |   |                      |                           |  |               |   |                          |                  |
| WORK E      | XPERIENCE      |   | (Cor                 | ntinue on separate sheet  | f necessary)                                   |               |   |                          | _                |
| clude privi | ste employmen  | nt. Start from your recen               | nt work) Description | on of duties should       | be indicated in the attac                      | hed Work E    | xperience she   | we                       | -                |
| NOLU        | SIVE DATES     | POSITION TO                             |                      |                           |  |               | CALADO PRIDAY   | erana or                 | GOVT             |
|             | n(dd/yyyy)     | (Write in full/Do not                   | abbreviate)          |                           | PNCY / OFFICE / COMPANY<br>(Do not abbreviate) | MONTHLY       | CRACE #<br>spikobija STEP<br>frame TEXTY<br>PICHEMENT | STATUS OF<br>APPOINTMENT | SERVIC<br>(V/N)  |
| From        | To             | 2000                                    |                      | university of south       | em mindanao deparment                          |               | HOMEMENT  |                          |                  |
| 7/10/2023   | 2/10/2025      | Computer Labora                         | atory aide           | of computing libra        | ary information sciece                         | 7700.00       |   | cos                      |                  |
|             |                |   |                      |                           |  |               |   |                          |                  |
|             |                |   |                      |                           |  |               |   |                          |                  |
|             |                |   |                      |                           |  |               |   |                          |                  |
|             |                |   |                      |                           |  |               |   |                          |                  |
| -           |                |   |                      |                           |  |               | $\vdash$  |                          | _                |
|             |                |   |                      |                           |  |               |   |                          |                  |
|             |                | 1                                       |                      |                           |  |               |   |                          |                  |
|             |                |   |                      |                           |  |               |   |                          |                  |
|             |                |   |                      |                           |  |               |   |                          |                  |
|             |                |   |                      |                           |  |               |   |                          |                  |
| -           | -              |   |                      |                           |  |               |   |                          |                  |
| -           | -              |   |                      |                           |  | _             |   |                          |                  |
|             | _              |   |                      |                           |  |               |   |                          |                  |
|             |                |   |                      |                           |  |               |   |                          |                  |
|             |                |   |                      |                           |  |               |   |                          |                  |
|             |                |   |                      |                           |  |               |   |                          |                  |
|             |                |   |                      |                           |  |               |   |                          |                  |
| -           | -              |   |                      |                           |  |               |   |                          |                  |
| -           | _              |   |                      |                           |  |               |   |                          |                  |
|             |                |   |                      |                           |  |               |   |                          |                  |
| i           | 1              |   |                      |                           |  |               |   |                          |                  |
|             |                |   |                      |                           |  |               |   |                          |                  |
| 1           |                |   |                      |                           |  |               |   |                          | _                |
| -           | -              |   |                      |                           |  |               |   |                          |                  |
| -           | _              |   |                      |                           |  |               |   |                          |                  |
|             |                |   |                      |                           |  |               |   |                          |                  |
|             |                |   |                      |                           |  |               |   |                          |                  |
|             |                |   |                      |                           |  |               |   |                          |                  |
|             | -              |   |                      |                           |  |               |   | _                        |                  |
| -           |                |   |                      |                           |  |               |   |                          |                  |
|             |                |   |                      |                           |  |               |   |                          |                  |
|             |                |   |                      |                           |  |               |   |                          |                  |
|             |                |   |                      |                           |  |               |   |                          |                  |
|             |                |   |                      |                           | /  |               |   |                          | _                |
|             |                |   | (Lon                 | Since on separate sheet i | r necessary)                                   |               |   |                          | _                |

| 29. NAME & ADDRESS OF C                                   | RGANIZATION                                 | NOLUSIVE DATES<br>(mm/05/yyy) |                                   | MANUR OF HOLP    | POSITION / NATURE OF WORK                                   |  |
|---|---|-------------------------------|-----------------------------------|------------------|---|--|
| (Wite in to   |   | From                          | To                                |                  |   |  |
| VA.   |   |                               |                                   | 1                | 1   |  |
|   |   |                               |                                   |                  |   |  |
|   |   |                               |                                   | -                |   |  |
|   |   |                               |                                   |                  |   |  |
|   |   |                               |                                   |                  |   |  |
|   |   | -                             | -                                 | _                |   |  |
|   |   |                               |                                   |                  |   |  |
|   |   |                               | 1                                 | i                | i   |  |
|   |   |                               |                                   |                  |   |  |
|   | (Castleria                                  | on sengrate sheet             | if necessary!                     |                  |   |  |
| M. LEARNING AND DEVELOPMENT (L&D                          | INTERVENTIONS/TRAINING                      | PROGRAMS                      | ATTENDED                          | -                |   |  |
| Bart from the most recent L&D training program and trick  | rds poly the relevant LES training taken fo | or the last fire illy g       | nara for Division Chie            | (Eracutiva Maria | geral positions)  | Name of Street, or other Designation of the Owner, where the Parket of the Owner, where the Owner, which is the Ow |
| 30. TITLE OF LEARNING AND DEVELOPMENT INT<br>(WHIR IN II) | ERVENTIONS/TRAINING PROGRAMS                | (mr                           | TES OF ATTENDANCE                 | NAMES OF HOURS   | Type of LD<br>(Managerial<br>Supervisory)<br>Technicalists) | CONDUCTED & SPONSORED BY   |
| IRST AID AND BLS-CPR WITH AED TRAINING COUR               | SE  | From<br>11/25/2023            | 11/26/2023                        | 16.0             | N/A   | PHILIPPINE RED CROSS NORTH<br>COTABATO KIDAPAWAN CHAPTER   |
| lardening SQL: Cybersecurity Strategies for Safe          | r Databases                                 | 2/26/2025                     | 2/26/2025                         | 4.0              | N/A   | DICT Region 2 Nueva Vizcay   |
|   |   | 1                             |                                   |                  |   |  |
|   |   | -                             |                                   |                  |   |  |
|   |   |                               |                                   |                  |   |  |
|   |   |                               |                                   |                  |   |  |
|   |   |                               |                                   |                  |   |  |
|   |   |                               |                                   |                  |   |  |
|   |   | _                             |                                   |                  |   |  |
|   |   | -                             |                                   |                  |   |  |
|   |   |                               |                                   |                  |   |  |
|   |   |                               |                                   |                  |   |  |
|   |   |                               |                                   | 1                |   |  |
|   |   |                               |                                   |                  |   |  |
|   |   |                               |                                   |                  |   |  |
|   |   |                               |                                   |                  |   |  |
|   |   |                               |                                   |                  |   |  |
|   |   |                               |                                   |                  |   |  |
|   |   |                               |                                   |                  |   |  |
|   |   |                               |                                   | İ                |   |  |
|   |   |                               |                                   |                  |   |  |
|   |   |                               |                                   |                  |   |  |
|   |   |                               |                                   |                  |   |  |
|   |   |                               |                                   |                  |   |  |
| de sheet if necessary)                                    |   |                               |                                   |                  |   |  |
|   |   |                               |                                   |                  |   |  |
| 31. SPECIAL SKILLS and HOBBIES                            | 32. NON                                     |                               | NCTIONS / RECOGNIT<br>ie in full) | ON               |   | 33. MEMBERSHIP IN ASSOCIATION/<br>ORGANIZATION   |
| Driving   |   | N/A                           |                                   |                  | -   | BETA SIGMA FRATERNITY 1946   |
|   |   |                               |                                   |                  |   |  |
| NETWORKING  |   |                               |                                   |                  |   |  |
| COMPUTER TECHNICAN  |   |                               |                                   |                  |   |  |
| SYSTEM DEVELOPER/ BACK END                                |   |                               |                                   |                  |   |  |
| CCTV INTALATION   |   |                               |                                   |                  |   |  |
| DESIGNER ARTIS  |   |                               |                                   | -                |   |  |
| DESIGNER AKTIS  |   |                               |                                   |                  |   |  |
|   |   |                               |                                   |                  |   |  |
|   |   |                               |                                   |                  |   |  |
| sheet if necessary) SIGNATURE                             |   | _                             |                                   | 1                | ATE   | 01/10/2023   |

| 24  |  |   |                                  | Commence of the State of the St |  |  |  |
|-----|--|---|----------------------------------|--|--|--|--|
| ٥٩. | Are you related by consanguinity or affinity to the appointing   | g or recommending authority, or to the    |                                  |  |  |  |  |
|     | chief of bureau or office or to the person who has immediat  | e supervision over you in the Office.     | i                                | 1  |  |  |  |
|     | Bureau or Department where you will be apppointed,   | 1   | 1                                |  |  |  |  |
|     | a. within the third degree?  | ☐ YES                                     | ∠ NO                             |  |  |  |  |
|     | a. We are the third degree?  | ☐ YES                                     |                                  |  |  |  |  |
|     | b. within the fourth degree (for Local Government Unit - Career Employees)?  |   |                                  | ≥ NO   |  |  |  |
|     |  |   |                                  | vis:   |  |  |  |
|     |  |   |                                  |  |  |  |  |
|     |  |   | -                                | F2   |  |  |  |
| 35. | a. Have you ever been found guilty of any administrative of  | ense?                                     | YES                              | ₹ 100  |  |  |  |
|     |  |   | If YES, give deta                | ils  |  |  |  |
|     |  |   |                                  |  |  |  |  |
|     |  |   |                                  |  |  |  |  |
|     | b. Have you been criminally charged before any court?  |   | YES                              | ≥ NO   |  |  |  |
|     |  |   | If YES, give deta                | ds:  |  |  |  |
|     |  |   |                                  |  |  |  |  |
|     |  |   | Date Filed:<br>Status of Case/s: |  |  |  |  |
|     |  |   | Califor Grand                    |  |  |  |  |
| 36. | Have you ever been convicted of any crime or violation of a  | ny law, decree, ordinance or regulation   | ☐ YES                            | ☑ NO   |  |  |  |
|     | by any court or tribunal?  |   | If YES, give deta                | fs:  |  |  |  |
|     |  |   |                                  |  |  |  |  |
|     |  |   |                                  |  |  |  |  |
| 37. | Have you ever been separated from the service in any of the  |   | ☐ YES                            | ☑ NO   |  |  |  |
|     | retirement, dropped from the rolls, dismissal, termination, en   | d of term, finished contract or phased    | If YES, give detail              | S:   |  |  |  |
|     | out (abolition) in the public or private sector?   |   |                                  | This to common the common to t |  |  |  |
| 25. | a. Have you ever been a candidate in a national or local ele   | ction held within the last year (except   | ☐ YES                            | ☑ NO   |  |  |  |
| -   | Barangay election)?  |   | If YES, give deta                |  |  |  |  |
| ı   |  |   |                                  | and the second   |  |  |  |
|     | <ul> <li>Have you resigned from the government service during the</li> </ul>   |   | YES                              | ☑ NO   |  |  |  |
|     | election to promote/actively campaign for a national or local  | candidate?                                | If YES, give deta                | ils:   |  |  |  |
| 90  | Have you acquired the status of an immigrant or permanent  | resident of another country?              | ☐ YES                            | ₹ NO   |  |  |  |
| -   |  | •   | If YES, give detail              |  |  |  |  |
|     |  |   | II 1E3, give detai               | s (country).   |  |  |  |
|     |  |   | _                                |  |  |  |  |
| 40. | Pursuant to: (a) Indigenous People's Act (RA 8371); (b) Mag  |   |                                  |  |  |  |  |
| i   | 7277); and (c) Solo Parents Welfare Act of 2000 (RA 8972),   | please answer the following items:        | 1                                | 1  |  |  |  |
| a.  | Are you a member of any indigenous group?  | ☐ YES                                     | ☑ NO                             |  |  |  |  |
|     |  |   | YES YES yease specif             | y:   |  |  |  |
| à.  | Are you a person with disability?  |   | ☐ YES                            | ☑ NO   |  |  |  |
|     |  |   | If YES, please specify ID No:    |  |  |  |  |
| c.  | Are you a solo parent?   |   | ☐ YES                            | ☑ NO   |  |  |  |
|     |  | If YES, please specif                     | y ID No:                         |  |  |  |  |
|     |  |   |                                  |  |  |  |  |
| 41. | REFERENCES (Person not related by consanguinity or affinity to applicant   | rappornée)                                |                                  |  |  |  |  |
|     | NAME   | ADDRESS                                   | TEL. NO.                         | 1. 计对对抗 1. 计实施管理   |  |  |  |
| _   | FIZARETI D CENOTA  | BRGY, POBLACION, KABACAN,                 | N/A                              |  |  |  |  |
|     | EIZABETH R. GENOTVA  | COTABATO                                  | Tex                              | 1  |  |  |  |
|     | RYAN Z. GONZAGA  | BRGY. POBLACION, KABACAN,                 | N/A                              | 000  |  |  |  |
| _   | NIMI E CONDICA   | COTABATO BRGY, POBLACION, CARMEN,         |                                  |  |  |  |  |
|     | DANILYN A. FLORES  | COTABATO                                  | N/A                              |  |  |  |  |
| 42  | i declare under oath that I have personally accomplished   |   | ue, correct and                  |  |  |  |  |
| -   | complete statement pursuant to the provisions of pertine   | nt laws rules and regulations of the      | Republic of the                  |  |  |  |  |
|     | Philippines. I authorize the agency head/authorized repre  | sentative to verify/validate the contents | s stated herein.                 |  |  |  |  |
|     | I agree that any misrepresentation made in this door   | ment and its attachments shall caus       | se the filing of                 | PHOTO  |  |  |  |
|     | administrative/criminal case/s against me.   |   |                                  | (  |  |  |  |
|     | SUITE ASSOCIATION OF SUITE OF  |   |                                  |  |  |  |  |
| 2   | numbered beautiff ( ) a comme case and con the friends ( imme etc.)  |   |                                  |  |  |  |  |
| 9   | DVernment Issued ID (a.Panpon, GSIS, SSS, PRC, Drivers Loanse, etc.)  LEASE (INDICATE ID Number and Date of Issuance)  |   |                                  | 1 11   |  |  |  |
| 1   |  |   |                                  | 1 11   |  |  |  |
| 9   | ownment issued ID: DROVER'S LICENSE  |   |                                  | 1 11   |  |  |  |
| 0   | AlcensePassport No.: M08-24-S00064   | Signature (Sign inside the b              | ox)                              |  |  |  |  |
| lŀ  |  | 01/10/2023                                |                                  | 1  |  |  |  |
| P   | winPlace of Issuance: 9-67-2029/ POBLACION, KABACAN, COT.  |   |                                  | Right Thumbmark  |  |  |  |
| _   |  |   |                                  |  |  |  |  |
|     | SUBSCRIBED AND SWORN to before me this, afflant exhibiting his/her validly issued government ID as indicated above.  |   |                                  |  |  |  |  |
|     | A second manual case of the second in second in second sec |   |                                  |  |  |  |  |
|     |  |   |                                  |  |  |  |  |
|     | 1  |   | T I                              | i  |  |  |  |
|     |  |   | -                                | I  |  |  |  |
|     |  |   |                                  | · !  |  |  |  |
|     | Value  | Person Administering Oat                  | h                                |  |  |  |  |
|     |  |   |                                  |  |  |  |  |
|     |  |   |                                  |  |  |  |  |

# Natural Science/Technology/PE Facilities A.11. Inventory of equipment, fixtures, apparatuses, supplies and materials



| 2  | Switch                 | For use by instructor and students for activities that require such tools  |  |
|----|------------------------|--|--|
| 10 | Crimping<br>Tool       | For use by instructor and students for activities that require such tools  |  |
| 1  | Smartboard             | For use by instructors during lectures and demonstration purposes  |  |
| 1  | Internet<br>Connection | For use by students<br>and instructors for<br>research,<br>demonstrations,<br>laboratory<br>exercises, and<br>other related<br>activities        |  |
| 2  | Printer                | For use by instructors to reproduce instructional materials such as quizzes, test papers, laboratory exercise sheets and other related documents |  |
| 1  | Photocopier            | For use by instructors to reproduce instructional materials such as quizzes, test papers, laboratory exercise sheets and other related documents |  |



1

KEPLRC Viewing Room For use by instructors and students for viewing related activities





| 4 | Projector<br>Screen                                  | For use by classes<br>that require the use<br>of projectors   |  |
|---|--|---|--|
| 1 | Smart TV   | For demonstration<br>and use of classes<br>that require Film<br>Viewing and other<br>related activities |  |
| 4 | Computer<br>Laboratory<br>Room                       | For laboratory classes that require the use of computers, specifically for computer-related courses     |  |
| 4 | Whiteboard   | For use by instructors and students for classes in computer laboratory rooms                            |  |
| 1 | Virtual<br>Library IT<br>Room                        | For use by students<br>and instructors of<br>the BLIS Program<br>for laboratory<br>purposes             |  |
| 1 | DDC<br>Cataloguing<br>Classification<br>Tools        | For use by BLIS instructors and students for their laboratory and other related activities              | DDC23  |
| 1 | Follet<br>Destiny<br>Library<br>Integrated<br>System | For use by BLIS instructors and students for their laboratory and other related activities              | The second secon |

# Pictures showing the server inside each computer laboratories









## A.12. Availability of a stockroom

Equipment and supplies are kept in stockroom / storage.









# A.13. Evidence on the availability of gas, water and electricity for practicum purposes

Pictures showing students using gas, water and electricity for class practicum activities









## A.14. Guidelines in the use of equipment and apparatuses

## Rules for the Computer Laboratory

- 1. **No Food or Drinks**: Eating or drinking is not allowed to prevent damage to equipment.
- 2. **Authorized Use Only**: Access is restricted to students, faculty, and staff with proper permission.
- 3. **Handle Equipment with Care**: Avoid rough handling of computers, keyboards, mice, and other devices.
- 4. **Save Your Work**: Use personal storage devices or cloud services for saving files. Files on lab computers may be erased regularly.
- 5. **Internet Use**: The internet is strictly for academic or research purposes. Inappropriate website access is prohibited.
- 6. **No Installation of Software**: Do not install, uninstall, or modify any software or settings without permission.
- 7. **Log In with Your Credentials**: Use your assigned account and keep your login details secure.
- 8. **Maintain Silence**: Speak softly and keep noise levels low to respect others.
- 9. **No Gaming or Streaming**: The lab is for academic purposes only. Gaming and non-academic video streaming are not allowed.
- 10. **Report Issues**: Notify the lab supervisor immediately of any damaged or malfunctioning equipment.
- 11. **Keep the Lab Clean**: Dispose of waste properly and leave your workspace tidy.
- 12. **Switch Off When Done**: Log out, shut down the computer, and push your chair in after use.
- 13. **No Unauthorized Devices**: Connecting personal devices to lab equipment is not permitted unless authorized.
- 14. **Respect Others**: Be courteous and considerate of others working in the lab.

Violations of these rules may result in restricted access to the laboratory or other disciplinary actions.